




DILU TECHNOLOGY (SHENZHEN) CO LTD


No.53,Xinfeng Industry Area,Xintian Valley,Guanlan Town,Baoan District,Shenzhen,China
Tel: 86 755 61100786 Fax: 86 755 61675804 Http://www.diluled.com Email: sales@diluled.com


MODEL COMPARISON - LED DOWNLIGHT


| Photo | Lighting Color | Item No | Material | Volt. | LED Qty | Diameter | Height | Power | Viewing Angle | Intensity | Remark |
|--|---|-------------|----------|-----------|---------|----------|--------|-------|---------------|-----------|-----------------------------------|
| | | | | (V) | (pcs) | (mm) | (mm) | (W) | (Deg) | (Lm) | |
|  | 1*1W High Power LED Downlight - DB3001 | | | | | | | | | | |
| | Pure White | DB3001W1-1 | Aluminum | 85-240VAC | 1pcs | 52.5 | 40 | 1W | 25-90 | 80lm | Dimmer (remote control) available |
| | Warm White | DB3001WW1-1 | Aluminum | 85-240VAC | 1pcs | 52.5 | 40 | 1W | 25-90 | 80lm | |


| Photo | Lighting Color | Item No | Material | Volt. | LED Qty | Diameter | Height | Power | Viewing Angle | Intensity | Remark |
|---|---|-------------|----------|-----------|---------|----------|--------|-------|---------------|-----------|--|
| | | | | (V) | (pcs) | (mm) | (mm) | (W) | (Deg) | (Lm) | |
|  | 1*1W High Power LED Downlight - DB3002 | | | | | | | | | | |
| | Pure White | DB3002W1-1 | Aluminum | 85-240VAC | 1pcs | 52.5 | 40 | 1W | 25-90 | 80lm | Extra usd45.00 for dimmer (remote control) |
| | Warm White | DB3002WW1-1 | Aluminum | 85-240VAC | 1pcs | 52.5 | 40 | 1W | 25-90 | 80lm | |

| Photo | Lighting Color | Item No | Material | Volt. | LED Qty | Diameter | Height | Power | Viewing Angle | Intensity | Remark |
|--|---|-------------|----------|-----------|---------|----------|--------|-------|---------------|-----------|--|
| | | | | (V) | (pcs) | (mm) | (mm) | (W) | (Deg) | (Lm) | |
|  | 1*1W High Power LED Downlight - DB3003 | | | | | | | | | | |
| | Pure White | DB3003W1-1 | Aluminum | 85-240VAC | 1pcs | 52 | 25 | 1W | 25-90 | 80lm | Extra usd45.00 for dimmer (remote control) |
| | Warm White | DB3003WW1-1 | Aluminum | 85-240VAC | 1pcs | 52 | 25 | 1W | 25-90 | 80lm | |

| Photo | Lighting Color | Item No | Material | Volt. | LED Qty | Diameter | Height | Power | Viewing Angle | Intensity | Remark |
|--|---|-------------|----------|-----------|---------|----------|--------|-------|---------------|-----------|--|
| | | | | (V) | (pcs) | (mm) | (mm) | (W) | (Deg) | (Lm) | |
|  | 1*1W High Power LED Downlight - DB3004 | | | | | | | | | | |
| | Pure White | DB3003W1-1 | Aluminum | 85-240VAC | 1pcs | 52 | 25 | 1W | 25-90 | 80lm | Extra usd45.00 for dimmer (remote control) |
| | Warm White | DB3003WW1-1 | Aluminum | 85-240VAC | 1pcs | 52 | 25 | 1W | 25-90 | 80lm | |


| Photo | Lighting Color | Item No | Material | Volt. | LED Qty | Diameter | Height | Power | Viewing Angle | Intensity | Remark |
|--|---|-------------|----------|-----------|---------|----------|--------|-------|---------------|-----------|--|
| | | | | (V) | (pcs) | (mm) | (mm) | (W) | (Deg) | (Lm) | |
|  | 3*1W High Power LED Downlight - DB3023 | | | | | | | | | | |
| | Pure White | DB3023W3-1 | Aluminum | 85-240VAC | 3pcs | 80 | 45 | 3W | 25-90 | 240lm | Extra usd45.00 for dimmer (remote control) |
| | Warm White | DB3023WW3-1 | Aluminum | 85-240VAC | 3pcs | 80 | 45 | 3W | 25-90 | 240lm | |


| Photo | Lighting Color | Item No | Material | Volt. | LED Qty | Diameter | Height | Power | Viewing Angle | Intensity | Remark |
|--|---|-------------|----------|-----------|---------|----------|--------|-------|---------------|-----------|--|
| | | | | (V) | (pcs) | (mm) | (mm) | (W) | (Deg) | (Lm) | |
|  | 3*1W High Power LED Downlight - DB3024 | | | | | | | | | | |
| | Pure White | DB3024W3-1 | Aluminum | 85-240VAC | 3pcs | 80 | 45 | 3W | 25-90 | 240lm | Extra usd45.00 for dimmer (remote control) |
| | Warm White | DB3024WW3-1 | Aluminum | 85-240VAC | 3pcs | 80 | 45 | 3W | 25-90 | 240lm | |


| Photo | Lighting Color | Item No | Material | Volt. | LED Qty | Diameter | Height | Power | Viewing Angle | Intensity | Remark |
|--|---|---------|----------|-------|---------|----------|--------|-------|---------------|-----------|--------|
| | | | | (V) | (pcs) | (mm) | (mm) | (W) | (Deg) | (Lm) | |
|  | 5*1W High Power LED Downlight - DB3024 | | | | | | | | | | |





| | | | | | | | | | | |
|------------|-------------|----------|-----------|------|----|----|----|-------|-------|--|
| Pure White | DB3024W5-1 | Aluminum | 85-240VAC | 5pcs | 80 | 45 | 5W | 25-90 | 350lm | Extra usd45.00 for dimmer (remote control) |
| Warm White | DB3024WW5-1 | Aluminum | 85-240VAC | 5pcs | 80 | 45 | 5W | 25-90 | 350lm | |


| Photo | Lighting Color | Item No | Material | Volt. | LED Qty | Diameter | Height | Power | Viewing Angle | Intensity | Remark |
|--|----------------|-------------|----------|-----------|---------|----------|--------|-------|---------------|-----------|--|
| | | | | (V) | (pcs) | (mm) | (mm) | (W) | (Deg) | (Lm) | |
| 3*1W High Power LED Downlight - DB3025 | | | | | | | | | | | |
|  | Pure White | DB3025W3-1 | Aluminum | 85-240VAC | 3pcs | 80 | 30 | 3W | 25-90 | 240lm | Extra usd45.00 for dimmer (remote control) |
| | Warm White | DB3025WW3-1 | Aluminum | 85-240VAC | 3pcs | 80 | 30 | 3W | 25-90 | 240lm | |


| Photo | Lighting Color | Item No | Material | Volt. | LED Qty | Diameter | Height | Power | Viewing Angle | Intensity | Remark |
|---|----------------|-------------|----------|-----------|---------|----------|--------|-------|---------------|-----------|--|
| | | | | (V) | (pcs) | (mm) | (mm) | (W) | (Deg) | (Lm) | |
| 5*1W High Power LED Downlight - DB3026 | | | | | | | | | | | |
|  | Pure White | DB3026W5-1 | Aluminum | 85-240VAC | 5pcs | 100 | 70 | 5W | 25-90 | 400lm | Extra usd45.00 for dimmer (remote control) |
| | Warm White | DB3026WW5-1 | Aluminum | 85-240VAC | 5pcs | 100 | 70 | 5W | 25-90 | 400lm | |


| Photo | Lighting Color | Item No | Material | Volt. | LED Qty | Diameter | Height | Power | Viewing Angle | Intensity | Remark |
|--|----------------|------------|----------|-----------|---------|----------|--------|-------|---------------|-----------|--|
| | | | | (V) | (pcs) | (mm) | (mm) | (W) | (Deg) | (Lm) | |
| 7*1W High Power LED Downlight - DB3026 | | | | | | | | | | | |
|  | Pure White | DB3026W7-1 | Aluminum | 85-240VAC | 7pcs | 100 | 70 | 7W | 25-90 | 560lm | Extra usd45.00 for dimmer (remote control) |


| | | | | | | | | | | | |
|--|------------|-------------|----------|-----------|------|-----|----|----|-------|-------|-------------------------|
|  | Warm White | DB3026WW7-1 | Aluminum | 85-240VAC | 7pcs | 100 | 70 | 7W | 25-90 | 560lm | dimmer (remote control) |
|--|------------|-------------|----------|-----------|------|-----|----|----|-------|-------|-------------------------|


| Photo | Lighting Color | Item No | Material | Volt. | LED Qty | Diameter | Height | Power | Viewing Angle | Intensity | Remark |
|--|----------------|-------------|----------|-----------|---------|----------|--------|-------|---------------|-----------|--|
| | | | | (V) | (pcs) | (mm) | (mm) | (W) | (Deg) | (Lm) | |
| 6*1W High Power LED Downlight - DB3027 | | | | | | | | | | | |
|  | Pure White | DB3027W6-1 | Aluminum | 85-240VAC | 6pcs | 110 | 42 | 6W | 25-90 | 480lm | Extra usd45.00 for dimmer (remote control) |
| | Warm White | DB3027WW6-1 | Aluminum | 85-240VAC | 6pcs | 110 | 42 | 6W | 25-90 | 480lm | |


| Photo | Lighting Color | Item No | Material | Volt. | LED Qty | Diameter | Height | Power | Viewing Angle | Intensity | Remark |
|---|----------------|-------------|----------|-----------|---------|----------|--------|-------|---------------|-----------|--|
| | | | | (V) | (pcs) | (mm) | (mm) | (W) | (Deg) | (Lm) | |
| 7*1W High Power LED Downlight - DB3027 | | | | | | | | | | | |
|  | Pure White | DB3027W7-1 | Aluminum | 85-240VAC | 7pcs | 110 | 42 | 7W | 25-90 | 560lm | Extra usd45.00 for dimmer (remote control) |
| | Warm White | DB3027WW7-1 | Aluminum | 85-240VAC | 7pcs | 110 | 42 | 7W | 25-90 | 560lm | |


| Photo | Lighting Color | Item No | Material | Volt. | LED Qty | Diameter | Height | Power | Viewing Angle | Intensity | Remark |
|--|----------------|--------------|----------|-----------|---------|----------|--------|-------|---------------|-----------|--|
| | | | | (V) | (pcs) | (mm) | (mm) | (W) | (Deg) | (Lm) | |
| 12*1W High Power LED Downlight - DB3027 | | | | | | | | | | | |
|  | Pure White | DB3027W12-1 | Aluminum | 85-240VAC | 12pcs | 110 | 52 | 12W | 25-90 | 960lm | Extra usd45.00 for dimmer (remote control) |
| | Warm White | DB3027WW12-1 | Aluminum | 85-240VAC | 12pcs | 110 | 52 | 12W | 25-90 | 960lm | |

| Photo | Lighting Color | Item No | Material | Volt. | LED Qty | Diameter | Height | Power | Viewing Angle | Intensity | Remark |
|--|--|--------------|----------|-----------|---------|----------|--------|-------|---------------|-----------|--|
| | | | | (V) | (pcs) | (mm) | (mm) | (W) | (Deg) | (Lm) | |
|  | 12*1W High Power LED Downlight - DB3101 | | | | | | | | | | |
| | Pure White | DB3101W12-1 | Aluminum | 85-240VAC | 12pcs | 135 | 80 | 12W | 25-90 | 850lm | Extra usd45.00 for dimmer (remote control) |
| | Warm White | DB3101WW12-1 | Aluminum | 85-240VAC | 12pcs | 135 | 80 | 12W | 25-90 | 850lm | |

| Photo | Lighting Color | Item No | Material | Volt. | LED Qty | Diameter | Height | Power | Viewing Angle | Intensity | Remark |
|--|--|--------------|----------|-----------|---------|----------|--------|-------|---------------|-----------|--|
| | | | | (V) | (pcs) | (mm) | (mm) | (W) | (Deg) | (Lm) | |
|  | 15*1W High Power LED Downlight - DB3102 | | | | | | | | | | |
| | Pure White | DB3102W15-1 | Aluminum | 85-240VAC | 15pcs | 140 | 95 | 15W | 25-90 | 1050lm | Extra usd45.00 for dimmer (remote control) |
| | Warm White | DB3102WW15-1 | Aluminum | 85-240VAC | 15pcs | 140 | 95 | 15W | 25-90 | 1050lm | |

| Photo | Lighting Color | Item No | Material | Volt. | LED Qty | Diameter | Height | Power | Viewing Angle | Intensity | Remark |
|--|--|--------------|----------|-----------|---------|----------|--------|-------|---------------|-----------|--|
| | | | | (V) | (pcs) | (mm) | (mm) | (W) | (Deg) | (Lm) | |
|  | 18*1W High Power LED Downlight - DB3103 | | | | | | | | | | |
| | Pure White | DB3103W18-1 | Aluminum | 85-240VAC | 18pcs | 158 | 105 | 18W | 25-90 | 1260lm | Extra usd45.00 for dimmer (remote control) |
| | Warm White | DB3103WW18-1 | Aluminum | 85-240VAC | 18pcs | 158 | 105 | 18W | 25-90 | 1260lm | |

| Photo | Lighting Color | Item No | Material | Volt. | LED Qty | Length | Width | Power | Viewing Angle | Intensity | Remark |
|--|---|---------|----------|-------|---------|--------|-------|-------|---------------|-----------|--------|
| | | | | (V) | (pcs) | (mm) | (mm) | (W) | (Deg) | (Lm) | |
|  | 3*1W High Power LED Downlight - DB3028 | | | | | | | | | | |



| | | | | | | | | | | |
|------------|-------------|----------|-----------|------|----|----|----|-------|-------|--|
| Pure White | DB3028W3-1 | Aluminum | 85-240VAC | 3pcs | 94 | 94 | 3W | 25-90 | 240lm | Extra usd45.00 for dimmer (remote control) |
| Warm White | DB3028WW3-1 | Aluminum | 85-240VAC | 3pcs | 94 | 94 | 3W | 25-90 | 240lm | |

| Photo | Lighting Color | Item No | Material | Volt. | LED Qty | Length | Width | Power | Viewing Angle | Intensity | Remark |
|-------|---|-------------|----------|-----------|---------|--------|-------|-------|---------------|-----------|--|
| | | | | (V) | (pcs) | (mm) | (mm) | (W) | (Deg) | (Lm) | |
| | 6*1W High Power LED Downlight - DB3028 | | | | | | | | | | |
| | Pure White | DB3028W6-1 | Aluminum | 85-240VAC | 6pcs | 180 | 94 | 6W | 25-90 | 480lm | Extra usd45.00 for dimmer (remote control) |
| | Warm White | DB3028WW6-1 | Aluminum | 85-240VAC | 6pcs | 180 | 94 | 6W | 25-90 | 480lm | |

| Photo | Lighting Color | Item No | Material | Volt. | LED Qty | Length | Width | Power | Viewing Angle | Intensity | Remark |
|-------|---|-------------|----------|-----------|---------|--------|-------|-------|---------------|-----------|--|
| | | | | (V) | (pcs) | (mm) | (mm) | (W) | (Deg) | (Lm) | |
| | 9*1W High Power LED Downlight - DB3028 | | | | | | | | | | |
| | Pure White | DB3028W9-1 | Aluminum | 85-240VAC | 9pcs | 288 | 94 | 9W | 25-90 | 720lm | Extra usd45.00 for dimmer (remote control) |
| | Warm White | DB3028WW9-1 | Aluminum | 85-240VAC | 9pcs | 288 | 94 | 9W | 25-90 | 720lm | |

Note: we do not contain all types in the list, for more information please contact us at sales@diluled.com. Our staff will reply you within 12 hrs.

Updated at: 2009-7-11