

## DILU TECHNOLOGY (SHENZHEN) CO LTD

No.53,Xinfeng Industry Area,Xintian Valley,Guanlan Town,Baoan District,Shenzhen,China  
Tel: 86 755 61100786 Fax: 86 755 61675804 Http://www.diluled.com Email: sales@diluled.com

### MODEL COMPARISON - HIGH POWER LED SPOTLIGHT


Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)	
	<b>1*1W High Power LED Spotlight - DB2001</b>											
	Pure White	DB2001W1M-1	Aluminum	MR16	12VAC/DC	1pcs	48	41.5	1W	25	80lm	LEDs intensity can be customized
		DB2001W1E-1	Aluminum	E27	85-240VAC	1pcs	48	58.5	1W	25	80lm	
		DB2001W1G-1	Aluminum	GU10	85-240VAC	1pcs	48	57.5	1W	25	80lm	
	Warm White	DB2001WW1M-1	Aluminum	MR16	12VAC/DC	1pcs	48	41.5	1W	25	80lm	
		DB2001WW1E-1	Aluminum	E27	85-240VAC	1pcs	48	58.5	1W	25	80lm	
DB2001WW1G-1		Aluminum	GU10	85-240VAC	1pcs	48	57.5	1W	25	80lm		



Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)	
	<b>1*1W High Power LED Spotlight - DB2002</b>											
	Pure White	DB2002W1M-1	Aluminum	MR16	12VAC/DC	1pcs	48	41.5	1W	25	80lm	LEDs intensity can be customized
		DB2002W1E-1	Aluminum	E27	85-240VAC	1pcs	48	58.5	1W	25	80lm	
		DB2002W1G-1	Aluminum	GU10	85-240VAC	1pcs	48	57.5	1W	25	80lm	
	Warm White	DB2002WW1M-1	Aluminum	MR16	12VAC/DC	1pcs	48	41.5	1W	25	80lm	
		DB2002WW1E-1	Aluminum	E27	85-240VAC	1pcs	48	58.5	1W	25	80lm	
DB2002WW1G-1		Aluminum	GU10	85-240VAC	1pcs	48	57.5	1W	25	80lm		

Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)	
	<b>1*1W High Power LED Spotlight - DB2003</b>											
	Pure White	DB2003W1M-1	Aluminum	MR16	12VAC/DC	1pcs	49	45	1W	60	80lm	LEDs intensity can be customized
		DB2003W1E-1	Aluminum	E27	85-240VAC	1pcs	49	55.5	1W	60	80lm	
		DB2003W1G-1	Aluminum	GU10	85-240VAC	1pcs	49	57	1W	60	80lm	
Warm White	DB2003WW1M-1	Aluminum	MR16	12VAC/DC	1pcs	49	45	1W	60	80lm		

Warm White	DB2003WW1E-1	Aluminum	E27	85-240VAC	1pcs	49	55.5	1W	60	80lm	LEDs intensity can be customized		
	DB2003WW1G-1	Aluminum	GU10	85-240VAC	1pcs	49	57	1W	60	80lm			
<b>1*3W High Power LED Spotlight - DB2003</b>													
Pure White	DB2003W1M-3	Aluminum	MR16	12VAC/DC	1pcs	49	45	1W	60	140lm		LEDs intensity can be customized	
	DB2003W1E-3	Aluminum	E27	85-240VAC	1pcs	49	55.5	1W	60	140lm			
	DB2003W1G-3	Aluminum	GU10	85-240VAC	1pcs	49	57	1W	60	140lm			
Warm White	DB2003WW1M-3	Aluminum	MR16	12VAC/DC	1pcs	49	45	1W	60	140lm			LEDs intensity can be customized
	DB2003WW1E-3	Aluminum	E27	85-240VAC	1pcs	49	55.5	1W	60	140lm			
	DB2003WW1G-3	Aluminum	GU10	85-240VAC	1pcs	49	57	1W	60	140lm			


Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark			
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)				
	<b>1*1W High Power LED Spotlight - DB2004</b>														
	Pure White	DB2004W1M-1	Aluminum	MR16	12VAC/DC	1pcs	49	45	1W	60	80lm	LEDs intensity can be customized			
		DB2004W1E-1	Aluminum	E27	85-240VAC	1pcs	49	55.5	1W	60	80lm				
		DB2004W1G-1	Aluminum	GU10	85-240VAC	1pcs	49	57	1W	60	80lm				
	Warm White	DB2004WW1M-1	Aluminum	MR16	12VAC/DC	1pcs	49	45	1W	60	80lm		LEDs intensity can be customized		
		DB2004WW1E-1	Aluminum	E27	85-240VAC	1pcs	49	55.5	1W	60	80lm				
		DB2004WW1G-1	Aluminum	GU10	85-240VAC	1pcs	49	57	1W	60	80lm				
	<b>1*3W High Power LED Spotlight - DB2004</b>														
	Pure White	DB2004W1M-3	Aluminum	MR16	12VAC/DC	1pcs	49.5	45	3W	60	140lm			LEDs intensity can be customized	
		DB2004W1E-3	Aluminum	E27	85-240VAC	1pcs	49.5	55.5	3W	60	140lm				
		DB2004W1G-3	Aluminum	GU10	85-240VAC	1pcs	49.5	57	3W	60	140lm				
		Warm White	DB2004WW1M-3	Aluminum	MR16	12VAC/DC	1pcs	49.5	45	3W	60				140lm
DB2004WW1E-3			Aluminum	E27	85-240VAC	1pcs	49.5	55.5	3W	60	140lm				
DB2004WW1G-3			Aluminum	GU10	85-240VAC	1pcs	49.5	57	3W	60	140lm				

Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)	
<b>1*1W High Power LED Spotlight - DB2005</b>												

	Pure White	DB2005W1M-1	Aluminum	MR16	12VAC/DC	1pcs	49	45	1W	60	80lm	LEDs intensity can be customized
		DB2005W1E-1	Aluminum	E27	85-240VAC	1pcs	49	55.5	1W	60	80lm	
		DB2005W1G-1	Aluminum	GU10	85-240VAC	1pcs	49	57	1W	60	80lm	
	Warm White	DB2005WW1M-1	Aluminum	MR16	12VAC/DC	1pcs	49	45	1W	60	80lm	
		DB2005WW1E-1	Aluminum	E27	85-240VAC	1pcs	49	55.5	1W	60	80lm	
		DB2005WW1G-1	Aluminum	GU10	85-240VAC	1pcs	49	57	1W	60	80lm	
<b>1*3W High Power LED Spotlight - DB2005</b>												
	Pure White	DB2005W1M-3	Aluminum	MR16	12VAC/DC	1pcs	49.5	45	3W	60	140lm	LEDs intensity can be customized
		DB2005W1E-3	Aluminum	E27	85-240VAC	1pcs	49.5	55.5	3W	60	140lm	
		DB2005W1G-3	Aluminum	GU10	85-240VAC	1pcs	49.5	57	3W	60	140lm	
	Warm White	DB2005WW1M-3	Aluminum	MR16	12VAC/DC	1pcs	49.5	45	3W	60	140lm	
		DB2005WW1E-3	Aluminum	E27	85-240VAC	1pcs	49.5	55.5	3W	60	140lm	
		DB2005WW1G-3	Aluminum	GU10	85-240VAC	1pcs	49.5	57	3W	60	140lm	


Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)	
<b>1*1W High Power LED Spotlight - DB2006</b>												
	Pure White	DB2006W1M-1	Aluminum	MR16	12VAC/DC	1pcs	49	50	1W	25	80lm	LEDs intensity can be customized
		DB2006W1E-1	Aluminum	E27	85-240VAC	1pcs	49	67	1W	25	80lm	
		DB2006W1G-1	Aluminum	GU10	85-240VAC	1pcs	49	66	1W	25	80lm	
	Warm White	DB2006WW1M-1	Aluminum	MR16	12VAC/DC	1pcs	49	50	1W	25	80lm	
		DB2006WW1E-1	Aluminum	E27	85-240VAC	1pcs	49	67	1W	25	80lm	
		DB2006WW1G-1	Aluminum	GU10	85-240VAC	1pcs	49	66	1W	25	80lm	
<b>1*3W High Power LED Spotlight - DB2006</b>												
	Pure White	DB2006W1M-3	Aluminum	MR16	12VAC/DC	1pcs	49	50	3W	25	140lm	LEDs intensity can be customized
		DB2006W1E-3	Aluminum	E27	85-240VAC	1pcs	49	67	3W	25	140lm	
		DB2006W1G-3	Aluminum	GU10	85-240VAC	1pcs	49	66	3W	25	140lm	
	Warm White	DB2006WW1M-3	Aluminum	MR16	12VAC/DC	1pcs	49	50	3W	25	140lm	
		DB2006WW1E-3	Aluminum	E27	85-240VAC	1pcs	49	67	3W	25	140lm	
		DB2006WW1G-3	Aluminum	GU10	85-240VAC	1pcs	49	66	3W	25	140lm	


Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)	
	<b>1*1W High Power LED Spotlight - DB2007</b>											
	Pure White	DB2007W1M-1	Aluminum	MR16	12VAC/DC	1pcs	32	38	1W	25	80lm	LEDs intensity can be customized
		DB2007W1E-1	Aluminum	E27	85-240VAC	1pcs	32	55	1W	25	80lm	
		DB2007W1G-1	Aluminum	GU10	85-240VAC	1pcs	32	54	1W	25	80lm	
	Warm White	DB2007WW1M-1	Aluminum	MR16	12VAC/DC	1pcs	32	38	1W	25	80lm	
		DB2007WW1E-1	Aluminum	E27	85-240VAC	1pcs	32	55	1W	25	80lm	
DB2007WW1G-1		Aluminum	GU10	85-240VAC	1pcs	32	54	1W	25	80lm		


Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)	
	<b>RGB 1*3W High Power Remote Control LED Spotlight - DB2008RGB</b>											
	RGB	DB2008RGBM	Aluminum	MR16	12VAC/DC	1pcs	48.5	44.5	3W	25	R: 45lm G: 65lm B: 20lm	LEDs intensity can be customized
		DB2008RGBE	Aluminum	E27	85-240VAC	1pcs	48.5	61.5	3W	25	R: 45lm G: 65lm B: 20lm	
		DB2008RGBG	Aluminum	GU10	85-240VAC	1pcs	48.5	60.5	3W	25	R: 45lm G: 65lm B: 20lm	


Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)	
	<b>1*1W High Power LED Spotlight - DB2009</b>											
	Pure White	DB2009W1M-1	Aluminum	MR16	12VAC/DC	1pcs	49	46	1W	35	80lm	LEDs intensity can be customized
		DB2009W1E-1	Aluminum	E27	85-240VAC	1pcs	49	63	1W	35	80lm	
		DB2009W1G-1	Aluminum	GU10	85-240VAC	1pcs	49	62	1W	35	80lm	
	Warm White	DB2009WW1M-1	Aluminum	MR16	12VAC/DC	1pcs	49	46	1W	35	80lm	
		DB2009WW1E-1	Aluminum	E27	85-240VAC	1pcs	49	63	1W	35	80lm	
DB2009WW1G-1		Aluminum	GU10	85-240VAC	1pcs	49	62	1W	35	80lm		


Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)	
	<b>1*1W High Power LED Spotlight - DB2010</b>											
	Pure White	DB2010W1M-1	Aluminum	MR16	12VAC/DC	1pcs	48	42	1W	60	80lm	LEDs intensity can be customized
		DB2010W1E-1	Aluminum	E27	85-240VAC	1pcs	48	52.5	1W	60	80lm	
		DB2010W1G-1	Aluminum	GU10	85-240VAC	1pcs	48	54	1W	60	80lm	
	Warm White	DB2010WW1M-1	Aluminum	MR16	12VAC/DC	1pcs	48	42	1W	60	80lm	
		DB2010WW1E-1	Aluminum	E27	85-240VAC	1pcs	48	52.5	1W	60	80lm	
DB2010WW1G-1		Aluminum	GU10	85-240VAC	1pcs	48	54	1W	60	80lm		


Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)	
	<b>1*1W High Power LED Spotlight - DB2011</b>											
	Pure White	DB2011W1M-1	Aluminum	MR16	12VAC/DC	1pcs	40.5	43.5	1W	60	80lm	LEDs intensity can be customized
		DB2011W1E-1	Aluminum	E27	85-240VAC	1pcs	40.5	60.5	1W	60	80lm	
		DB2011W1G-1	Aluminum	GU10	85-240VAC	1pcs	40.5	59.5	1W	60	80lm	
	Warm White	DB2011WW1M-1	Aluminum	MR16	12VAC/DC	1pcs	40.5	43.5	1W	60	80lm	
		DB2011WW1E-1	Aluminum	E27	85-240VAC	1pcs	40.5	60.5	1W	60	80lm	
DB2011WW1G-1		Aluminum	GU10	85-240VAC	1pcs	40.5	59.5	1W	60	80lm		


Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)	
	<b>1*1W High Power LED Spotlight - DB2012</b>											
	Pure White	DB2012W1M-1	Aluminum	MR16	12VAC/DC	1pcs	49	49.5	1W	60	80lm	LEDs intensity can be customized
		DB2012W1E-1	Aluminum	E27	85-240VAC	1pcs	49	66.5	1W	60	80lm	
		DB2012W1G-1	Aluminum	GU10	85-240VAC	1pcs	49	65.5	1W	60	80lm	
	Warm White	DB2012WW1M-1	Aluminum	MR16	12VAC/DC	1pcs	49	49.5	1W	60	80lm	
		DB2012WW1E-1	Aluminum	E27	85-240VAC	1pcs	49	66.5	1W	60	80lm	
DB2012WW1G-1		Aluminum	GU10	85-240VAC	1pcs	49	65.5	1W	60	80lm		


Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)	
	<b>3*1W High Power LED Spotlight - DB2901</b>											
	Pure White	DB2901W3M-1	Aluminum	MR16	12VAC/DC	3pcs	50	41.5	3W	25	240lm	LEDs intensity can be customized
		DB2901W3E-1	Aluminum	E27	85-240VAC	3pcs	50	58.5	3W	25	240lm	
		DB2901W3G-1	Aluminum	GU10	85-240VAC	3pcs	50	57.5	3W	25	240lm	
	Warm White	DB2901WW3M-1	Aluminum	MR16	12VAC/DC	3pcs	50	41.5	3W	25	240lm	
		DB2901WW3E-1	Aluminum	E27	85-240VAC	3pcs	50	58.5	3W	25	240lm	
DB2901WW3G-1		Aluminum	GU10	85-240VAC	3pcs	50	57.5	3W	25	240lm		


Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)	
	<b>3*1W High Power LED Spotlight - DB2902</b>											
	Pure White	DB2902W3M-1	Aluminum	MR16	12VAC/DC	3pcs	50	44.5	3W	25	240lm	LEDs intensity can be customized
		DB2902W3E-1	Aluminum	E27	85-240VAC	3pcs	50	59.5	3W	25	240lm	
		DB2902W3G-1	Aluminum	GU10	85-240VAC	3pcs	50	58.5	3W	25	240lm	
	Warm White	DB2902WW3M-1	Aluminum	MR16	12VAC/DC	3pcs	50	44.5	3W	25	240lm	
		DB2902WW3E-1	Aluminum	E27	85-240VAC	3pcs	50	59.5	3W	25	240lm	
DB2902WW3G-1		Aluminum	GU10	85-240VAC	3pcs	50	58.5	3W	25	240lm		


Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)	
	<b>3*1W High Power LED Spotlight - DB2013</b>											
	Pure White	DB2013W3M-1	Aluminum	MR16	12VAC/DC	3pcs	50	42.5	3W	25	240lm	LEDs intensity can be customized
		DB2013W3E-1	Aluminum	E27	85-240VAC	3pcs	50	59.5	3W	25	240lm	
		DB2013W3G-1	Aluminum	GU10	85-240VAC	3pcs	50	58.5	3W	25	240lm	
	Warm White	DB2013WW3M-1	Aluminum	MR16	12VAC/DC	3pcs	50	42.5	3W	25	240lm	
		DB2013WW3E-1	Aluminum	E27	85-240VAC	3pcs	50	59.5	3W	25	240lm	
DB2013WW3G-1		Aluminum	GU10	85-240VAC	3pcs	50	58.5	3W	25	240lm		


Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)	
	<b>3*1W High Power LED Spotlight - DB2014</b>											
	Pure White	DB2014W3M-1	Aluminum	MR16	12VAC/DC	3pcs	50	53	3W	25	240lm	LEDs intensity can be customized
		DB2014W3E-1	Aluminum	E27	85-240VAC	3pcs	50	65.5	3W	25	240lm	
		DB2014W3G-1	Aluminum	GU10	85-240VAC	3pcs	50	67	3W	25	240lm	
	Warm White	DB2014WW3M-1	Aluminum	MR16	12VAC/DC	3pcs	50	53	3W	25	240lm	
		DB2014WW3E-1	Aluminum	E27	85-240VAC	3pcs	50	65.5	3W	25	240lm	
DB2014WW3G-1		Aluminum	GU10	85-240VAC	3pcs	50	67	3W	25	240lm		


Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)	
	<b>4*1W High Power LED Spotlight - DB2101</b>											
	Pure White	DB2101W4E-1	Aluminum	E27	85-240VAC	4pcs	77	79	4W	25	320lm	LEDs intensity can be customized
	Warm White	DB2101WW4E-1	Aluminum	E27	85-240VAC	4pcs	77	79	4W	25	320lm	


Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)	
	<b>5*1W High Power LED Spotlight - DB2102</b>											
	Pure White	DB2102W5E-1	Aluminum	E27	85-240VAC	5pcs	92	78	5W	25	400lm	LEDs intensity can be customized
	Warm White	DB2102WW5E-1	Aluminum	E27	85-240VAC	5pcs	92	78	5W	25	400lm	

Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)	


	<b>6*1W High Power LED Spotlight - DB2103</b>											
	Pure White	DB2103W6E-1	Aluminum	E27	85-240VAC	6pcs	77	79	6W	25	480lm	LEDs intensity can be customized
	Warm White	DB2103WW6E-1	Aluminum	E27	85-240VAC	6pcs	77	79	6W	25	480lm	



Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)	
	<b>7*1W High Power LED Spotlight - DB2104</b>											
	Pure White	DB2104W7E-1	Aluminum	E27	85-240VAC	7pcs	92	78	7W	25	560lm	LEDs intensity can be customized
	Warm White	DB2104WW7E-1	Aluminum	E27	85-240VAC	7pcs	92	78	7W	25	560lm	

Photo	Lighting Color	Item No	Material	Interface	Volt.	LED Qty	Diameter	Height	Power	Viewing Angle	Intensity	Remark
					(V)	(pcs)	(mm)	(mm)	(W)	(Deg)	(Lm)	
	<b>12*1W High Power LED Spotlight - DB2105</b>											
	Pure White	DB2105W12E-1	Aluminum	E27	85-240VAC	12pcs	122	138	12W	25	960lm	LEDs intensity can be customized
	Warm White	DB2105WW12E-1	Aluminum	E27	85-240VAC	12pcs	122	138	12W	25	960lm	

Updated at: 2009-6-3