


DILU TECHNOLOGY (SHENZHEN) CO LTD


No.53th,Xinfeng Industry Area,Xintian Valley,Guanlan Town,Baoan District,Shenzhen,China
Tel: 86 755 61100786 Fax: 86 755 61675804 Http://www.diluled.com Email: sales@diluled.com

MODEL COMPARISON-LED LIGHTING MODULE


Waterproof 1pcs Super Flux LED Module - DM-FA1X

Photo	Lighting Color	Item No	LED Qty	Intensity	Angle	Current	Volt.	Power	Size	IP Deg	MOQ	Remark
			pcs	mcd	deg	mA	V	Watt	mm			
	Red	DM-FA1R	1	>1200mcd*1	>90°	20mA	12VDC	0.08W	20*12*12	IP67	1000pcs	1): Cable length: 80mm; 2): Other available color: pink, purple etc.
	Yellow	DM-FA1Y	1	>1100mcd*1	>90°	20mA	12VDC	0.08W	20*12*12	IP67	1000pcs	
	Blue	DM-FA1B	1	>800mcd*1	>90°	20mA	12VDC	0.08W	20*12*12	IP67	1000pcs	
	Green	DM-FA1G	1	>2500mcd*1	>90°	20mA	12VDC	0.08W	20*12*12	IP67	1000pcs	
	White	DM-FA1W	1	>2000mcd*1	>90°	20mA	12VDC	0.08W	20*12*12	IP67	1000pcs	
	Warm White	DM-FA1WW	1	>1800mcd*1	>90°	20mA	12VDC	0.08W	20*12*12	IP67	1000pcs	


Waterproof 3pcs Super Flux LED Module - DM-FB3X

Photo	Lighting Color	Item No	LED Qty	Intensity	Angle	Current	Volt.	Power	Size	IP Deg	MOQ	Remark
			pcs	mcd	deg	mA	V	Watt	mm			
	Red	DM-FB3R	3	>1200mcd*3	>90°	20mA	12VDC	0.24W	45*12*12	IP67	500pcs	1): Cable length: 80mm; 2): Other available color: pink, purple etc.
	Yellow	DM-FB3Y	3	>1100mcd*3	>90°	20mA	12VDC	0.24W	45*12*12	IP67	500pcs	
	Blue	DM-FB3B	3	>800mcd*3	>90°	20mA	12VDC	0.24W	45*12*12	IP67	500pcs	
	Green	DM-FB3G	3	>2500mcd*3	>90°	20mA	12VDC	0.24W	45*12*12	IP67	500pcs	
	White	DM-FB3W	3	>2000mcd*3	>90°	20mA	12VDC	0.24W	45*12*12	IP67	500pcs	
	Warm White	DM-FB3WW	3	>1800mcd*3	>90°	20mA	12VDC	0.24W	45*12*12	IP67	500pcs	


Waterproof 3pcs Super Flux LED Module - DM-FC3X

Photo	Lighting Color	Item No	LED Qty	Intensity	Angle	Current	Volt.	Power	Size	IP Deg	MOQ	Remark
			pcs	mcd	deg	mA	V	Watt	mm			
	Red	DM-FC3R	3	>1200mcd*3	>90°	20mA	12VDC	0.24W	45*15*12	IP67	500pcs	1): Cable length: 80mm; 2): Other available color: pink, purple etc.
	Yellow	DM-FC3Y	3	>1100mcd*3	>90°	20mA	12VDC	0.24W	45*15*12	IP67	500pcs	
	Blue	DM-FC3B	3	>800mcd*3	>90°	20mA	12VDC	0.24W	45*15*12	IP67	500pcs	
	Green	DM-FC3G	3	>2500mcd*3	>90°	20mA	12VDC	0.24W	45*15*12	IP67	500pcs	
	White	DM-FC3W	3	>2000mcd*3	>90°	20mA	12VDC	0.24W	45*15*12	IP67	500pcs	
	Warm White	DM-FC3WW	3	>1800mcd*3	>90°	20mA	12VDC	0.24W	45*15*12	IP67	500pcs	


Non-Waterproof 3pcs Super Flux LED Module - DM-FDN3X

Photo	Lighting Color	Item No	LED Qty	Intensity	Angle	Current	Volt.	Power	Size	IP Deg	MOQ	Remark
			pcs	mcd	deg	mA	V	Watt	mm			
	Red	DM-FDN3R	3	>1200mcd*3	>90°	20mA	12VDC	0.24W	76*14*13	/	500pcs	1): Cable length: 80mm; 2): Other available color: pink, purple etc.
	Yellow	DM-FDN3Y	3	>1100mcd*3	>90°	20mA	12VDC	0.24W	76*14*13	/	500pcs	
	Blue	DM-FDN3B	3	>800mcd*3	>90°	20mA	12VDC	0.24W	76*14*13	/	500pcs	
	Green	DM-FDN3G	3	>2500mcd*3	>90°	20mA	12VDC	0.24W	76*14*13	/	500pcs	
	White	DM-FDN3W	3	>2000mcd*3	>90°	20mA	12VDC	0.24W	76*14*13	/	500pcs	
	Warm White	DM-FDN3WW	3	>1800mcd*3	>90°	20mA	12VDC	0.24W	76*14*13	/	500pcs	

Waterproof 3pcs Super Flux LED Module - DM-FE3X


Photo	Lighting Color	Item No	LED Qty	Intensity	Angle	Current	Volt.	Power	Size	IP Deg	MOQ	Remark
			pcs	mcd	deg	mA	V	Watt	mm			
	Red	DM-FE3R	3	>1200mcd*3	>90°	20mA	12VDC	0.24W	75*12*12	IP67	500pcs	1): Cable length: 80mm; 2): Other available color: pink, purple etc.
	Yellow	DM-FE3Y	3	>1100mcd*3	>90°	20mA	12VDC	0.24W	75*12*12	IP67	500pcs	
	Blue	DM-FE3B	3	>800mcd*3	>90°	20mA	12VDC	0.24W	75*12*12	IP67	500pcs	
	Green	DM-FE3G	3	>2500mcd*3	>90°	20mA	12VDC	0.24W	75*12*12	IP67	500pcs	
	White	DM-FE3W	3	>2000mcd*3	>90°	20mA	12VDC	0.24W	75*12*12	IP67	500pcs	
	Warm White	DM-FE3WW	3	>1800mcd*3	>90°	20mA	12VDC	0.24W	75*12*12	IP67	500pcs	

Waterproof 3pcs Strawhat LED Module - DM-SE3X


Photo	Lighting Color	Item No	LED Qty	Intensity	Angle	Current	Volt.	Power	Size	IP Deg	MOQ	Remark
			pcs	mcd	deg	mA	V	Watt	mm			
	Red	DM-SE3R	3	>1100mcd*3	60°-120°	20mA	12VDC	0.24W	75*12*12	IP67	500pcs	1): Cable length: 80mm; 2): Other available color: pink, purple etc.
	Yellow	DM-SE3Y	3	>1000mcd*3	60°-120°	20mA	12VDC	0.24W	75*12*12	IP67	500pcs	
	Blue	DM-SE3B	3	>700mcd*3	60°-120°	20mA	12VDC	0.24W	75*12*12	IP67	500pcs	
	Green	DM-SE3G	3	>2200mcd*3	60°-120°	20mA	12VDC	0.24W	75*12*12	IP67	500pcs	
	White	DM-SE3W	3	>1800mcd*3	60°-120°	20mA	12VDC	0.24W	75*12*12	IP67	500pcs	
	Warm White	DM-SE3WW	3	>1600mcd*3	60°-120°	20mA	12VDC	0.24W	75*12*12	IP67	500pcs	

Waterproof 3pcs Super Flux LED Module - DM-FF3X


Photo	Lighting Color	Item No	LED Qty	Intensity	Angle	Current	Volt.	Power	Size	IP Deg	MOQ	Remark
-------	----------------	---------	---------	-----------	-------	---------	-------	-------	------	--------	-----	--------

Photo	Lighting Color	Item No	pcs	mcd	deg	mA	V	Watt	mm	IP Deg	MOQ	Remark
	Red	DM-FF3R	3	>1200mcd*3	>90°	20mA	12VDC	0.24W	75*15*12	IP67	500pcs	1): Cable length: 80mm; 2): Other available color: pink, purple etc.
	Yellow	DM-FF3Y	3	>1100mcd*3	>90°	20mA	12VDC	0.24W	75*15*12	IP67	500pcs	
	Blue	DM-FF3B	3	>800mcd*3	>90°	20mA	12VDC	0.24W	75*15*12	IP67	500pcs	
	Green	DM-FF3G	3	>2500mcd*3	>90°	20mA	12VDC	0.24W	75*15*12	IP67	500pcs	
	White	DM-FF3W	3	>2000mcd*3	>90°	20mA	12VDC	0.24W	75*15*12	IP67	500pcs	
	Warm White	DM-FF3WW	3	>1800mcd*3	>90°	20mA	12VDC	0.24W	75*15*12	IP67	500pcs	


Waterproof 4pcs Super Flux LED Module - DM-FG4X

Photo	Lighting Color	Item No	LED Qty	Intensity	Angle	Current	Volt.	Power	Size	IP Deg	MOQ	Remark
			pcs	mcd	deg	mA	V	Watt	mm			
	Red	DM-FG4R	4	>1200mcd*4	>90°	20mA	12VDC	0.36W	35*35*12	IP67	500pcs	1): Cable length: 80mm; 2): Other available color: pink, purple etc.
	Yellow	DM-FG4Y	4	>1100mcd*4	>90°	20mA	12VDC	0.36W	35*35*12	IP67	500pcs	
	Blue	DM-FG4B	4	>800mcd*4	>90°	20mA	12VDC	0.36W	35*35*12	IP67	500pcs	
	Green	DM-FG4G	4	>2500mcd*4	>90°	20mA	12VDC	0.36W	35*35*12	IP67	500pcs	
	White	DM-FG4W	4	>2000mcd*4	>90°	20mA	12VDC	0.36W	35*35*12	IP67	500pcs	
	Warm White	DM-FG4WW	4	>1800mcd*4	>90°	20mA	12VDC	0.36W	35*35*12	IP67	500pcs	

Waterproof 5pcs Super Flux LED Module - DM-FE5X

Photo	Lighting Color	Item No	LED Qty	Intensity	Angle	Current	Volt.	Power	Size	IP Deg	MOQ	Remark
			pcs	mcd	deg	mA	V	Watt	mm			
	Red	DM-FE5R	5	>1200mcd*5	>90°	20mA	12VDC	0.48W	75*12*12	IP67	500pcs	1): Cable length: 80mm; 2): Other available color: pink, purple etc.
	Yellow	DM-FE5Y	5	>1100mcd*5	>90°	20mA	12VDC	0.48W	75*12*12	IP67	500pcs	
	Blue	DM-FE5B	5	>800mcd*5	>90°	20mA	12VDC	0.48W	75*12*12	IP67	500pcs	
	Green	DM-FE5G	5	>2500mcd*5	>90°	20mA	12VDC	0.48W	75*12*12	IP67	500pcs	
	White	DM-FE5W	5	>2000mcd*5	>90°	20mA	12VDC	0.48W	75*12*12	IP67	500pcs	
	Warm White	DM-FE5WW	5	>1800mcd*5	>90°	20mA	12VDC	0.48W	75*12*12	IP67	500pcs	

Waterproof 5pcs Super Flux LED Module - DM-FF5X

Photo	Lighting Color	Item No	LED Qty	Intensity	Angle	Current	Volt.	Power	Size	IP Deg	MOQ	Remark
			pcs	mcd	deg	mA	V	Watt	mm			
	Red	DM-FF5R	5	>1200mcd*5	>90°	20mA	12VDC	0.48W	75*15*12	IP67	500pcs	
	Yellow	DM-FF5Y	5	>1100mcd*5	>90°	20mA	12VDC	0.48W	75*15*12	IP67	500pcs	



Blue	DM-FF5B	5	>800mcd*5	>90°	20mA	12VDC	0.48W	75*15*12	IP67	500pcs	1): Cable length: 80mm; 2): Other available color: pink, purple etc.
Green	DM-FF5G	5	>2500mcd*5	>90°	20mA	12VDC	0.48W	75*15*12	IP67	500pcs	
White	DM-FF5W	5	>2000mcd*5	>90°	20mA	12VDC	0.48W	75*15*12	IP67	500pcs	
Warm White	DM-FF5WW	5	>1800mcd*5	>90°	20mA	12VDC	0.48W	75*15*12	IP67	500pcs	

Waterproof 5pcs Strawhat LED Module - DM-SE5X


Photo	Lighting Color	Item No	LED Qty	Intensity	Angle	Current	Volt.	Power	Size	IP Deg	MOQ	Remark
			pcs	mcd	deg	mA	V	Watt	mm			
	Red	DM-SE5R	5	>1100mcd*5	60°-120°	20mA	12VDC	0.48W	75*12*12	IP67	500pcs	1): Cable length: 80mm; 2): Other available color: pink, purple etc.
	Yellow	DM-SE5Y	5	>1000mcd*5	60°-120°	20mA	12VDC	0.48W	75*12*12	IP67	500pcs	
	Blue	DM-SE5B	5	>700mcd*5	60°-120°	20mA	12VDC	0.48W	75*12*12	IP67	500pcs	
	Green	DM-SE5G	5	>2200mcd*5	60°-120°	20mA	12VDC	0.48W	75*12*12	IP67	500pcs	
	White	DM-SE5W	5	>1800mcd*5	60°-120°	20mA	12VDC	0.48W	75*12*12	IP67	500pcs	
	Warm White	DM-SE5WW	5	>1600mcd*5	60°-120°	20mA	12VDC	0.48W	75*12*12	IP67	500pcs	

RGB Waterproof 9pcs Strawhat LED Module - DM-SF9RGB


Photo	Lighting Color	Item No	LED Qty	Intensity	Angle	Current	Volt.	Power	Size	IP Deg	MOQ	Remark
			pcs	mcd	deg	mA	V	Watt	mm			
	RGB	DM-SF9RGB	9	>4500mcd*3	60°-120°	20mA	12VDC	0.72W	75*15*12	IP67	500pcs	Emitting angle according to cutomers request

RGB Waterproof 15pcs Strawhat LED Module - DM-SF15RGB


Photo	Lighting Color	Item No	LED Qty	Intensity	Angle	Current	Volt.	Power	Size	IP Deg	MOQ	Remark
			pcs	mcd	deg	mA	V	Watt	mm			

	RGB	DM-SF15RGB	15	>4500mcd*5	60°-120°	20mA	12VDC	1.2W	75*15*12	IP67	500pcs	Emitting angle according to cutomers request
---------------------------------------------------------------------------------	-----	------------	----	------------	----------	------	-------	------	----------	------	--------	----------------------------------------------

Waterproof 1pcs Strawhat LED Lighting Source - DM-SH1X

Photo	Lighting Color	Item No	LED Qty	Intensity	Angle	Current	Volt.	Power	Size	IP Deg	MOQ	Remark
			pcs	mcd	deg	mA	V	Watt	mm			
	Red	DM-SH1R	1	>1100mcd*1	60°-120°	20mA	12VDC	0.08W	φ 8*15	IP45	1000pcs	1): Cable length: 80mm; 2): Other available color: pink, purple etc.
	Yellow	DM-SH1Y	1	>1000mcd*1	60°-120°	20mA	12VDC	0.08W	φ 8*15	IP45	1000pcs	
	Blue	DM-SH1B	1	>700mcd*1	60°-120°	20mA	12VDC	0.08W	φ 8*15	IP45	1000pcs	
	Green	DM-SH1G	1	>2200mcd*1	60°-120°	20mA	12VDC	0.08W	φ 8*15	IP45	1000pcs	
	White	DM-SH1W	1	>1800mcd*1	60°-120°	20mA	12VDC	0.08W	φ 8*15	IP45	1000pcs	
	Warm White	DM-SH1WW	1	>1600mcd*1	60°-120°	20mA	12VDC	0.08W	φ 8*15	IP45	1000pcs	

RGB Waterproof 3pcs Strawhat LED Module - DM-SJ3RGB

Photo	Lighting Color	Item No	LED Qty	Intensity	Angle	Current	Volt.	Power	Size	IP Deg	MOQ	Remark
			pcs	mcd	deg	mA	V	Watt	mm			
	RGB	DM-SJ3RGB	3	>4500mcd*1	60°-120°	20mA	12VDC	0.24W	φ 18*13	IP65	500pcs	Emitting angle according to cutomers request

Updated at: 2009-5-27