

DILU TECHNOLOGY (SHENZHEN) CO LTD


No.53th,Xinfeng Industry Area,Xintian Valley,Guanlan Town,Baoan District,Shenzhen,China
Tel: 86 755 61100786 Fax: 86 755 61675804 Http://www.diluled.com Email: sales@diluled.com

MODEL COMPARISON - LED RIGID BAR


Waterproof 30pcs Super Flux LED Rigid Bar - DM-LFA30X

Photo	Lighting Color	Item No	Material	LED Qty	Intensity	Angle	Volt.	Power	Size	IP Deg	Remark
				pcs	mcd	deg	V	Watt	mm		
	Red	DM-LFA30R	Plastic	30	>1200mcd*30	>90°	12VDC	2.4W	500*19*17	IP65	non-waterproof available
	Yellow	DM-LFA30Y	Plastic	30	>1100mcd*30	>90°	12VDC	2.4W	500*19*17	IP65	
	Blue	DM-LFA30B	Plastic	30	>800mcd*30	>90°	12VDC	2.4W	500*19*17	IP65	
	Green	DM-LFA30G	Plastic	30	>2500mcd*30	>90°	12VDC	2.4W	500*19*17	IP65	
	White	DM-LFA30W	Plastic	30	>2500mcd*30	>90°	12VDC	2.4W	500*19*17	IP65	
	Warm White	DM-LFA30WW	Plastic	30	>2000mcd*30	>90°	12VDC	2.4W	500*19*17	IP65	


Waterproof 30pcs Super Flux LED Rigid Bar - DM-LFB30X

Photo	Lighting Color	Item No	Material	LED Qty	Intensity	Angle	Volt.	Power	Size	IP Deg	Remark
				pcs	mcd	deg	V	Watt	mm		
	Red	DM-LFB30R	Aluminum	30	>1200mcd*30	>90°	12VDC	2.4W	500*19*17	IP65	non-waterproof available
	Yellow	DM-LFB30Y	Aluminum	30	>1100mcd*30	>90°	12VDC	2.4W	500*19*17	IP65	
	Blue	DM-LFB30B	Aluminum	30	>800mcd*30	>90°	12VDC	2.4W	500*19*17	IP65	
	Green	DM-LFB30G	Aluminum	30	>2500mcd*30	>90°	12VDC	2.4W	500*19*17	IP65	
	White	DM-LFB30W	Aluminum	30	>2500mcd*30	>90°	12VDC	2.4W	500*19*17	IP65	
	Warm White	DM-LFB30WW	Aluminum	30	>2000mcd*30	>90°	12VDC	2.4W	500*19*17	IP65	


Waterproof 90pcs Strawhat LED Rigid Bar - DM-LSC90X

Photo	Lighting Color	Item No	Material	LED Qty	Intensity	Angle	Volt.	Power	Size	IP Deg	Remark
				pcs	mcd	deg	V	Watt	mm		
	Red	DM-LSC90R	Aluminum	90	>500mcd*90	90°-120°	12VDC	7.2W	1000*19*17	IP65	non-waterproof available
	Yellow	DM-LSC90Y	Aluminum	90	>500mcd*90	90°-120°	12VDC	7.2W	1000*19*17	IP65	
	Blue	DM-LSC90B	Aluminum	90	>700mcd*90	90°-120°	12VDC	7.2W	1000*19*17	IP65	
	Green	DM-LSC90G	Aluminum	90	>1200mcd*90	90°-120°	12VDC	7.2W	1000*19*17	IP65	
	White	DM-LSC90W	Aluminum	90	>1500mcd*90	90°-120°	12VDC	7.2W	1000*19*17	IP65	
	Warm White	DM-LSC90WW	Aluminum	90	>1400mcd*90	90°-120°	12VDC	7.2W	1000*19*17	IP65	


Waterproof 96pcs Strawhat LED Rigid Bar - DM-LSC96X

Photo	Lighting Color	Item No	Material	LED Qty	Intensity	Angle	Volt.	Power	Size	IP Deg	Remark
				pcs	mcd	deg	V	Watt	mm		
	Red	DM-LSC96R	Aluminum	96	>500mcd*96	90°-120°	12VDC	7.8W	1000*19*17	IP65	non-waterproof available
	Yellow	DM-LSC96Y	Aluminum	96	>500mcd*96	90°-120°	12VDC	7.8W	1000*19*17	IP65	
	Blue	DM-LSC96B	Aluminum	96	>700mcd*96	90°-120°	12VDC	7.8W	1000*19*17	IP65	
	Green	DM-LSC96G	Aluminum	96	>1200mcd*96	90°-120°	12VDC	7.8W	1000*19*17	IP65	
	White	DM-LSC96W	Aluminum	96	>1500mcd*96	90°-120°	12VDC	7.8W	1000*19*17	IP65	
	Warm White	DM-LSC96WW	Aluminum	96	>1400mcd*96	90°-120°	12VDC	7.8W	1000*19*17	IP65	

Waterproof 144pcs Strawhat Rigid Bar - DM-LSC144X


Photo	Lighting Color	Item No	Material	LED Qty	Intensity	Angle	Volt.	Power	Size	IP Deg	Remark
				pcs	mcd	deg	V	Watt	mm		
	Red	DM-LSC144R	Aluminum	144	>500mcd*144	90°-120°	12VDC	11.5W	1000*19*17	IP65	non-waterproof available
	Yellow	DM-LSC144Y	Aluminum	144	>500mcd*144	90°-120°	12VDC	11.5W	1000*19*17	IP65	
	Blue	DM-LSC144B	Aluminum	144	>700mcd*144	90°-120°	12VDC	11.5W	1000*19*17	IP65	
	Green	DM-LSC144G	Aluminum	144	>1200mcd*144	90°-120°	12VDC	11.5W	1000*19*17	IP65	
	White	DM-LSC144W	Aluminum	144	>1500mcd*144	90°-120°	12VDC	11.5W	1000*19*17	IP65	
	Warm White	DM-LSC144WW	Aluminum	144	>1400mcd*144	90°-120°	12VDC	11.5W	1000*19*17	IP65	

Waterproof 60pcs 5050 SMD LED Rigid Bar - DM-LMB60X

Photo	Lighting Color	Item No	Material	LED Qty	Intensity	Angle	Volt.	Power	Size	IP Deg	Remark
				pcs	mcd	deg	V	Watt	mm		
	Red	DM-LMB60R	Aluminum	60	>1500mcd*60	120°	12VDC	15W	500*19*10	IP65	non-waterproof available
	Yellow	DM-LMB60Y	Aluminum	60	>1500mcd*60	120°	12VDC	15W	500*19*10	IP65	
	Blue	DM-LMB60B	Aluminum	60	>1100mcd*60	120°	12VDC	15W	500*19*10	IP65	
	Green	DM-LMB60G	Aluminum	60	>3200mcd*60	120°	12VDC	15W	500*19*10	IP65	
	White	DM-LMB60W	Aluminum	60	>4500mcd*60	120°	12VDC	15W	500*19*10	IP65	
	Warm White	DM-LMB60WW	Aluminum	60	>4500mcd*60	120°	12VDC	15W	500*19*10	IP65	

RGB Waterproof 36 Group Strawhat LED Rigid Bar - DM-LSA36RGB


Photo	Lighting Color	Item No	Material	LED Qty	Intensity	Angle	Volt.	Power	Size	IP Deg	Remark
-------	----------------	---------	----------	---------	-----------	-------	-------	-------	------	--------	--------

Photo	Lighting Color	Item No	Material	pcs	mcd	deg	V	Watt	mm	IP Deg	Remark
	RGB	DM-LSA36RGB	Plastic	108	R:500mcd G:1200mcd B:780mcd	120°	12VDC	8.7W	500*19*17	IP65	non-waterproof available

Non-waterproof 30pcs 3528 SMD LED Rigid Bar - DM-LMD30X

Photo	Lighting Color	Item No	Material	LED Qty	Intensity	Angle	Volt.	Power	Size	IP Deg	Remark
				pcs	mcd	deg	V	Watt	mm		
	Red	DM-LMD30R	PCB	30	>450mcd*30	120°	12VDC	2.5W	500*10*6	/	OEM&ODM service available
	Yellow	DM-LMD30Y	PCB	30	>450mcd*30	120°	12VDC	2.5W	500*10*6	/	
	Blue	DM-LMD30B	PCB	30	>350mcd*30	120°	12VDC	2.5W	500*10*6	/	
	Green	DM-LMD30G	PCB	30	>1100mcd*30	120°	12VDC	2.5W	500*10*6	/	
	White	DM-LMD30W	PCB	30	>1500mcd*30	120°	12VDC	2.5W	500*10*6	/	
	Warm White	DM-LMD30WW	PCB	30	>1500mcd*30	120°	12VDC	2.5W	500*10*6	/	

Non-waterproof 30pcs 5050 SMD LED Rigid Bar - DM-LME30X

Photo	Lighting Color	Item No	Material	LED Qty	Intensity	Angle	Volt.	Power	Size	IP Deg	Remark
				pcs	mcd	deg	V	Watt	mm		
	Red	DM-LME30R	PCB	30	>1500mcd*30	120°	12VDC	2.5W	500*12*6	/	OEM&ODM service available
	Yellow	DM-LME30Y	PCB	30	>1500mcd*30	120°	12VDC	2.5W	500*12*6	/	
	Blue	DM-LME30B	PCB	30	>1100mcd*30	120°	12VDC	2.5W	500*12*6	/	
	Green	DM-LME30G	PCB	30	>3200mcd*30	120°	12VDC	2.5W	500*12*6	/	
	White	DM-LME30W	PCB	30	>4500mcd*30	120°	12VDC	2.5W	500*12*6	/	
	Warm White	DM-LME30WW	PCB	30	>4500mcd*30	120°	12VDC	2.5W	500*12*6	/	

RGB Non-waterproof 30pcs 5050 SMD LED Rigid Bar - DM-LMF30RGB

Photo	Lighting Color	Item No	Material	LED Qty	Intensity	Angle	Volt.	Power	Size	IP Deg	Remark
				pcs	mcd	deg	V	Watt	mm		



RGB	DM-LMF30RGB	PCB	30	R:450mcd G:800mcd B:380mcd	120°	12VDC	2.5W	500*12*6	/	OEM&ODM service available
-----	-------------	-----	----	----------------------------------	------	-------	------	----------	---	------------------------------

Updated at: 2009-6-2