

DILU TECHNOLOGY (SHENZHEN) CO LTD

No.53th,Xinfeng Industry Area,Xintian Valley,Guanlan Town,Baoan District,Shenzhen,China
Tel: 86 755 61100786 Fax: 86 755 61675804 Http://www.diluled.com Email: sales@diluled.com

MODEL COMPARISON - FLEXIBLE LED STRIP


Photo	Color	Item No	Material	Intensity	Volt.	Power	LED Qty	Size (L*W)	Emitting Angle	IP Deg	Remark
				mcd	V	Watt	pcs	mm			
	Waterproof 3mm Through-hole Strip - DM3DA (Length: 1200mm/reel)										
	Red	DM3DA1R	FPC+PVC	500mcd*120	DC12V	8.5W	120	1200*7	>60°	IP65	Other available length: 240mm; 120mm ... 720mm ...max 1200mm
	Yellow	DM3DA1Y	FPC+PVC	450mcd*120	DC12V	8.5W	120	1200*7	>60°	IP65	
	Blue	DM3DA1B	FPC+PVC	500mcd*120	DC12V	8.5W	120	1200*7	>60°	IP65	
	Green	DM3DA1G	FPC+PVC	2000mcd*120	DC12V	8.5W	120	1200*7	>60°	IP65	
	White	DM3DA1W	FPC+PVC	2000mcd*120	DC12V	8.5W	120	1200*7	>60°	IP65	
	Warm White	DM3DA1WW	FPC+PVC	1800mcd*120	DC12V	8.5W	120	1200*7	>60°	IP65	
	Purple	DM3DA1PU	FPC+PVC	60mcd*120	DC12V	8.5W	120	1200*7	>60°	IP65	
	Pink	DM3DA1PI	FPC+PVC	600mcd*120	DC12V	8.5W	120	1200*7	>60°	IP65	
	RGB	DM3DA1RGB	FPC+PVC	500/500/2000 *40	DC12V	8.5W	120	1200*7	>60°	IP65	


Photo	Color	Item No	Material	Intensity	Volt.	Power	LED Qty	Size (L*W)	Emitting Angle	IP Deg	Remark
				mcd	V	Watt	pcs	mm			
	Non-Waterproof 5mm Through-hole Strip - DM5DB (Length: 1200mm/reel)										
	Red	DM5DB1R	FPC	1000mcd*120	DC12V	8.5W	120	1200*7	30°-120°	/	Other available length: 240mm; 120mm ... 720mm ...max 1200mm
	Yellow	DM5DB1Y	FPC	900mcd*120	DC12V	8.5W	120	1200*7	30°-120°	/	
	Blue	DM5DB1B	FPC	800mcd*120	DC12V	8.5W	120	1200*7	30°-120°	/	
	Green	DM5DB1G	FPC	2500mcd*120	DC12V	8.5W	120	1200*7	30°-120°	/	
	White	DM5DB1W	FPC	2500mcd*120	DC12V	8.5W	120	1200*7	30°-120°	/	
	Warm White	DM5DB1WW	FPC	2000mcd*120	DC12V	8.5W	120	1200*7	30°-120°	/	
	Purple	DM5DB1PU	FPC	80mcd*120	DC12V	8.5W	120	1200*7	30°-120°	/	
	Pink	DM3DB5PI	FPC	800mcd*120	DC12V	8.5W	120	1200*7	30°-120°	/	
	RGB	DM5DB1RGB	FPC	500/800/2500 *40	DC12V	8.5W	120	1200*7	30°-120°	/	


Photo	Color	Item No	Material	Intensity	Volt.	Power	LED Qty	Size (L*W*H)	Emitting Angle	IP Deg	Remark
				mcd	V	Watt	pcs	mm			
	Waterproof 5mm Silicone Strip - DM5DC (Length: 1200mm/reel)										
	Red	DM5DC1R	FPC+Silicone	500mcd*120	DC12V	8.5W	120	1200*7.5*13	>90°	IP65	Other available length: 240mm; 120mm ... 720mm ...max 1200mm
	Yellow	DM5DC1Y	FPC+Silicone	450mcd*120	DC12V	8.5W	120	1200*7.5*13	>90°	IP65	
	Blue	DM5DC1B	FPC+Silicone	500mcd*120	DC12V	8.5W	120	1200*7.5*13	>90°	IP65	
	Green	DM5DC1G	FPC+Silicone	2000mcd*120	DC12V	8.5W	120	1200*7.5*13	>90°	IP65	
	White	DM5DC1W	FPC+Silicone	2000mcd*120	DC12V	8.5W	120	1200*7.5*13	>90°	IP65	
	Warm White	DM5DC1WW	FPC+Silicone	1800mcd*120	DC12V	8.5W	120	1200*7.5*13	>90°	IP65	
	Purple	DM5DC1PU	FPC+Silicone	60mcd*120	DC12V	8.5W	120	1200*7.5*13	>90°	IP65	
	Pink	DM5DC1PI	FPC+Silicone	600mcd*120	DC12V	8.5W	120	1200*7.5*13	>90°	IP65	
	RGB	DM5DC1RGB	FPC+Silicone	500/500/2000 *40	DC12V	8.5W	120	1200*7.5*13	>90°	IP65	


Photo	Color	Item No	Material	Intensity	Volt.	Power	LED Qty	Size (L*W)	Emitting Angle	IP Deg	Remark
				mcd	V	Watt	pcs	mm			
	Non-Waterproof 5mm Through-hole Strip - DM5DD (Length: 300mm)										
	Red	DM5DD1R	PCB	1000mcd*18	DC12V	1.3W	18	300*7	30°-120°	/	Standar Length of 300mm
	Yellow	DM5DD1Y	PCB	900mcd*18	DC12V	1.3W	18	300*7	30°-120°	/	
	Blue	DM5DD1B	PCB	800mcd*18	DC12V	1.3W	18	300*7	30°-120°	/	
	Green	DM5DD1G	PCB	2500mcd*18	DC12V	1.3W	18	300*7	30°-120°	/	
	White	DM5DD1W	PCB	2500mcd*18	DC12V	1.3W	18	300*7	30°-120°	/	
	Warm White	DM5DD1WW	PCB	2000mcd*18	DC12V	1.3W	18	300*7	30°-120°	/	
	Purple	DM5DD1PU	PCB	80mcd*18	DC12V	1.3W	18	300*7	30°-120°	/	
	Pink	DM3DD1PI	PCB	800mcd*18	DC12V	1.3W	18	300*7	30°-120°	/	
	RGB	DM5DD1RGB	PCB	500/800/2500 *6	DC12V	1.3W	18	300*7	30°-120°	/	

Photo	Color	Item No	Material	Intensity	Volt.	Power	LED Qty	Size (L*W)	Emitting Angle	IP Deg	Remark
				mcd	V	Watt	pcs	mm			



Waterproof 0603 SMD Strip - DM0603SA (1200mm/reel)										
Red	DM0603SA5R	FPC+Resin	150mcd*60	DC12V	4W	60	1200*10	>120°	IP65	Other available length: 300mm; 600mm ... 900mm ...max 1200mm
Yellow	DM0603SA5Y	FPC+Resin	150mcd*60	DC12V	4W	60	1200*10	>120°	IP65	
Blue	DM0603SA5B	FPC+Resin	150mcd*60	DC12V	4W	60	1200*10	>120°	IP65	
Green	DM0603SA5G	FPC+Resin	250mcd*60	DC12V	4W	60	1200*10	>120°	IP65	
White	DM0603SA5W	FPC+Resin	350mcd*60	DC12V	4W	60	1200*10	>120°	IP65	
Warm White	DM0603SA5WW	FPC+Resin	350mcd*60	DC12V	4W	60	1200*10	>120°	IP65	
Purple	DM0603SA5PU	FPC+Resin	60mcd*60	DC12V	4W	60	1200*10	>120°	IP65	
Pink	DM0603SA5PI	FPC+Resin	300mcd*60	DC12V	4W	60	1200*10	>120°	IP65	
Waterproof 0805 SMD Strip - DM0805SA (1200mm/reel)										
Red	DM0805SA5R	FPC+Resin	200mcd*60	DC12V	4W	60	1200*10	>120°	IP65	Other available length: 300mm; 600mm ... 900mm ...max 1200mm
Yellow	DM0805SA5Y	FPC+Resin	200mcd*60	DC12V	4W	60	1200*10	>120°	IP65	
Blue	DM0805SA5B	FPC+Resin	200mcd*60	DC12V	4W	60	1200*10	>120°	IP65	
Green	DM0805SA5G	FPC+Resin	350mcd*60	DC12V	4W	60	1200*10	>120°	IP65	
White	DM0805SA5W	FPC+Resin	450mcd*60	DC12V	4W	60	1200*10	>120°	IP65	
Warm White	DM0805SA5WW	FPC+Resin	450mcd*60	DC12V	4W	60	1200*10	>120°	IP65	
Purple	DM0805SA5PU	FPC+Resin	100mcd*60	DC12V	4W	60	1200*10	>120°	IP65	
Pink	DM0805SA5PI	FPC+Resin	450mcd*60	DC12V	4W	60	1200*10	>120°	IP65	
Waterproof 1206 SMD Strip - DM1206SA (1200mm/reel)										
Red	DM1206SA5R	FPC+Resin	250mcd*48	DC12V	4W	48	1200*10	>120°	IP65	Other available length: 300mm; 600mm ... 900mm ...max 1200mm
Yellow	DM1206SA5Y	FPC+Resin	250mcd*48	DC12V	4W	48	1200*10	>120°	IP65	
Blue	DM1206SA5B	FPC+Resin	250mcd*48	DC12V	4W	48	1200*10	>120°	IP65	
Green	DM1206SA5G	FPC+Resin	500mcd*48	DC12V	4W	48	1200*10	>120°	IP65	
White	DM1206SA5W	FPC+Resin	500mcd*48	DC12V	4W	48	1200*10	>120°	IP65	
Warm White	DM1206SA5WW	FPC+Resin	500mcd*48	DC12V	4W	48	1200*10	>120°	IP65	
Purple	DM1206SA5PU	FPC+Resin	120mcd*48	DC12V	4W	48	1200*10	>120°	IP65	
Pink	DM1206SA5PI	FPC+Resin	500mcd*48	DC12V	4W	48	1200*10	>120°	IP65	
RGB	DM1206SA5RGB	FPC+Resin	250/250/ 500 *16	DC12	4W	48	1200*10	>120°	IP65	



Photo	Color	Item No	Material	Intensity	Volt.	Power	LED Qty	Size (L*W)	Emitting Angle	IP Deg	Remark
				mcd	V	Watt	pcs	mm			
	Waterproof 3528 SMD Strip - DM3528SA (1200mm/reel)										
	Red	DM3528SA5R	FPC+Resin	800mcd*48	DC12V	4W	48	1200*10	>120°	IP65	Other available length: 300mm; 600mm ... 900mm ...max 1200mm
	Yellow	DM3528SA5Y	FPC+Resin	780mcd*48	DC12V	4W	48	1200*10	>120°	IP65	
	Blue	DM3528SA5B	FPC+Resin	700mcd*48	DC12V	4W	48	1200*10	>120°	IP65	
	Green	DM3528SA5G	FPC+Resin	1500mcd*48	DC12V	4W	48	1200*10	>120°	IP65	
	White	DM3528SA5W	FPC+Resin	2000mcd*48	DC12V	4W	48	1200*10	>120°	IP65	
	Warm White	DM3528SA5WW	FPC+Resin	1800mcd*48	DC12V	4W	48	1200*10	>120°	IP65	
	Purple	DM3528SA5PU	FPC+Resin	150mcd*48	DC12V	4W	48	1200*10	>120°	IP65	
	Pink	DM3528SA5PI	FPC+Resin	1000mcd*48	DC12V	4W	48	1200*10	>120°	IP65	
	RGB	DM3528SA5RGB	FPC+Resin	800/1500/ 750 *16	DC12	4W	48	1200*10	>120°	IP65	
	Waterproof 5050 SMD Strip - DM5050SA (1200mm/reel)										
	Red	DM5050SA5R	FPC+Resin	2000mcd*48	DC12V	5W	48	1200*10	>120°	IP65	Other available length: 300mm; 600mm ... 900mm ...max 1200mm
	Yellow	DM5050SA5Y	FPC+Resin	2000mcd*48	DC12V	5W	48	1200*10	>120°	IP65	
	Blue	DM5050SA5B	FPC+Resin	2000mcd*48	DC12V	5W	48	1200*10	>120°	IP65	
	Green	DM5050SA5G	FPC+Resin	3500mcd*48	DC12V	5W	48	1200*10	>120°	IP65	
	White	DM5050SA5W	FPC+Resin	4500mcd*48	DC12V	5W	48	1200*10	>120°	IP65	
	Warm White	DM5050SA5WW	FPC+Resin	4500mcd*48	DC12V	5W	48	1200*10	>120°	IP65	
	Purple	DM5050SA5PU	FPC+Resin	200mcd*48	DC12V	5W	48	1200*10	>120°	IP65	
	Pink	DM5050SA5PI	FPC+Resin	2500mcd*48	DC12V	5W	48	1200*10	>120°	IP65	
RGB	DM5050SA5RGB	FPC+Resin	400/1000/ 350 *16	DC12V	5W	48	1200*10	>120°	IP65		

Photo	Color	Item No	Material	Intensity	Volt.	Power	LED Qty	Size (L*W)	Emitting Angle	IP Deg	Remark
				mcd	V	Watt	pcs	mm			
	Non-Waterproof 3528 SMD Strip - DM3528SB (5000mm/reel)										
	Red	DM3528SB5R	FPC	450mcd*300	DC12V	24W	300	5000*8	>120°	/	Other available length: 1000mm; 2000mm; 3000mm; 4000mm; 5000mm
	Yellow	DM3528SB5Y	FPC	450mcd*300	DC12V	24W	300	5000*8	>120°	/	
	Blue	DM3528SB5B	FPC	400mcd*300	DC12V	24W	300	5000*8	>120°	/	
	Green	DM3528SB5G	FPC	1300mcd*300	DC12V	24W	300	5000*8	>120°	/	
	White	DM3528SB5W	FPC	1600mcd*300	DC12V	24W	300	5000*8	>120°	/	

Warm White	DM3528SB5WW	FPC	1500mcd*300	DC12V	24W	300	5000*8	>120°	/	3000mm; 4000mm; max 5000mm
Purple	DM3528SB5PU	FPC	100mcd*300	DC12V	24W	300	5000*8	>120°	/	
Pink	DM3528SB5PI	FPC	500mcd*300	DC12V	24W	300	5000*8	>120°	/	
RGB	DM3528SB5RGB	FPC	450/1300/ 400 *100	DC12V	24W	300	5000*8	>120°	/	

Photo	Color	Item No	Material	Intensity	Volt.	Power	LED Qty	Size (L*W)	Emitting Angle	IP Deg	Remark
				mcd	V	Watt	pcs	mm			
	Waterproof 3528 SMD Strip - DM3528SC (5000mm/reel)										
	Red	DM3528SC5R	FPC+PVC	450mcd*300	DC12V	24W	300	5000*9	>120°	IP65	Other available length: 1000mm; 2000mm; 3000mm; 4000mm; max 5000mm
	Yellow	DM3528SC5Y	FPC+PVC	450mcd*300	DC12V	24W	300	5000*9	>120°	IP65	
	Blue	DM3528SC5B	FPC+PVC	400mcd*300	DC12V	24W	300	5000*9	>120°	IP65	
	Green	DM3528SC5G	FPC+PVC	1300mcd*300	DC12V	24W	300	5000*9	>120°	IP65	
	White	DM3528SC5W	FPC+PVC	1600mcd*300	DC12V	24W	300	5000*9	>120°	IP65	
	Warm White	DM3528SC5WW	FPC+PVC	1500mcd*300	DC12V	24W	300	5000*9	>120°	IP65	
	Purple	DM3528SC5PU	FPC+PVC	100mcd*300	DC12V	24W	300	5000*9	>120°	IP65	
	Pink	DM3528SC5PI	FPC+PVC	500mcd*300	DC12V	24W	300	5000*9	>120°	IP65	
	RGB	DM3528SC5RGB	FPC+PVC	450/1300/ 400 *100	DC12V	24W	300	5000*9	>120°	IP65	

Photo	Color	Item No	Material	Intensity	Volt.	Power	LED Qty	Size (L*W)	Emitting Angle	IP Deg	Remark
				mcd	V	Watt	pcs	mm			
	Waterproof 3528 SMD Strip - DM3528SD (5000mm/reel)										
	Red	DM3528SD5R	FPC+Resin	450mcd*300	DC12V	24W	300	5000*10	>120°	IP67	Other available length: 1000mm; 2000mm; 3000mm; 4000mm; max 5000mm
	Yellow	DM3528SD5Y	FPC+Resin	450mcd*300	DC12V	24W	300	5000*10	>120°	IP67	
	Blue	DM3528SD5B	FPC+Resin	400mcd*300	DC12V	24W	300	5000*10	>120°	IP67	
	Green	DM3528SD5G	FPC+Resin	1300mcd*300	DC12V	24W	300	5000*10	>120°	IP67	
	White	DM3528SD5W	FPC+Resin	1600mcd*300	DC12V	24W	300	5000*10	>120°	IP67	
	Warm White	DM3528SD5WW	FPC+Resin	1500mcd*300	DC12V	24W	300	5000*10	>120°	IP67	
	Purple	DM3528SD5PU	FPC+Resin	100mcd*300	DC12V	24W	300	5000*10	>120°	IP67	
	Pink	DM3528SD5PI	FPC+Resin	500mcd*300	DC12V	24W	300	5000*10	>120°	IP67	

	RGB	DM3528SD5RGB	FPC+Resin	450/1300/ 400 *100	DC12	24W	300	5000*10	>120°	IP67	
--	-----	--------------	-----------	--------------------	------	-----	-----	---------	-------	------	--


Photo	Color	Item No	Material	Intensity	Volt.	Power	LED Qty	Size (L*W)	Emitting Angle	IP Deg	Remark
				mcd	V	Watt	pcs	mm			
	Non-Waterproof 5050 SMD Strip - DM5050SE (5000mm/reel)										
	Red	DM5050SE5R	FPC	1500mcd*150	DC12V	36W	150	5000*8	>120°	/	Other available length: 1000mm; 2000mm; 3000mm; 4000mm; max 5000mm
	Yellow	DM5050SE5Y	FPC	1500mcd*150	DC12V	36W	150	5000*8	>120°	/	
	Blue	DM5050SE5B	FPC	1200mcd*150	DC12V	36W	150	5000*8	>120°	/	
	Green	DM5050SE5G	FPC	3500mcd*150	DC12V	36W	150	5000*8	>120°	/	
	White	DM5050SE5W	FPC	4500mcd*150	DC12V	36W	150	5000*8	>120°	/	
	Warm White	DM5050SE5WW	FPC	4000mcd*150	DC12V	36W	150	5000*8	>120°	/	
	Purple	DM5050SE5PU	FPC	200mcd*150	DC12V	36W	150	5000*8	>120°	/	
	Pink	DM5050SE5PI	FPC	2000mcd*150	DC12V	36W	150	5000*8	>120°	/	
	RGB	DM5050SE5RGB	FPC	500/1200/ 450 *150	DC12	36W	150	5000*8	>120°	/	


Photo	Color	Item No	Material	Intensity	Volt.	Power	LED Qty	Size (L*W)	Emitting Angle	IP Deg	Remark
				mcd	V	Watt	pcs	mm			
	Waterproof 5050 SMD Strip - DM5050SF (5000mm/reel)										
	Red	DM5050SF5R	FPC+PVC	1500mcd*150	DC12V	36W	150	5000*9	>120°	IP65	Other available length: 1000mm; 2000mm; 3000mm; 4000mm; max 5000mm
	Yellow	DM5050SF5Y	FPC+PVC	1500mcd*150	DC12V	36W	150	5000*9	>120°	IP65	
	Blue	DM5050SF5B	FPC+PVC	1200mcd*150	DC12V	36W	150	5000*9	>120°	IP65	
	Green	DM5050SF5G	FPC+PVC	3500mcd*150	DC12V	36W	150	5000*9	>120°	IP65	
	White	DM5050SF5W	FPC+PVC	4500mcd*150	DC12V	36W	150	5000*9	>120°	IP65	
	Warm White	DM5050SF5WW	FPC+PVC	4000mcd*150	DC12V	36W	150	5000*9	>120°	IP65	
	Purple	DM5050SF5PU	FPC+PVC	200mcd*150	DC12V	36W	150	5000*9	>120°	IP65	
	Pink	DM5050SF5PI	FPC+PVC	2000mcd*150	DC12V	36W	150	5000*9	>120°	IP65	
	RGB	DM5050SF5RGB	FPC+PVC	500/1200/ 450 *150	DC12	36W	150	5000*9	>120°	IP65	

Photo	Color	Item No	Material	Intensity	Volt.	Power	LED Qty	Size (L*W)	Emitting Angle	IP Deg	Remark
-------	-------	---------	----------	-----------	-------	-------	---------	------------	----------------	--------	--------

Photo	Color	Item No	Material	Intensity mcd	Volt V	Power Watt	LED Qty pcs	Size (L*W) mm	Emitting Angle	IP Deg	Remark
	Waterproof 5050 SMD Strip - DM5050SG (5000mm/reel)										
	Red	DM5050SG5R	FPC+Resin	1500mcd*150	DC12V	36W	150	5000*10	>120°	IP67	Other available length: 1000mm; 2000mm; 3000mm; 4000mm; max 5000mm
	Yellow	DM5050SG5Y	FPC+Resin	1500mcd*150	DC12V	36W	150	5000*10	>120°	IP67	
	Blue	DM5050SG5B	FPC+Resin	1200mcd*150	DC12V	36W	150	5000*10	>120°	IP67	
	Green	DM5050SG5G	FPC+Resin	3500mcd*150	DC12V	36W	150	5000*10	>120°	IP67	
	White	DM5050SG5W	FPC+Resin	4500mcd*150	DC12V	36W	150	5000*10	>120°	IP67	
	Warm White	DM5050SG5WW	FPC+Resin	4000mcd*150	DC12V	36W	150	5000*10	>120°	IP67	
	Purple	DM5050SG5PU	FPC+Resin	200mcd*150	DC12V	36W	150	5000*10	>120°	IP67	
	Pink	DM5050SG5PI	FPC+Resin	2000mcd*150	DC12V	36W	150	5000*10	>120°	IP67	
RGB	DM5050SG5RGB	FPC+Resin	500/1200/ 450 *150	DC12	36W	150	5000*10	>120°	IP67		

Photo	Color	Item No	Material	Intensity	Volt.	Power	LED Qty	Size (L*W)	Emitting Angle	IP Deg	Remark
				mcd	V	Watt	pcs	mm			
	Waterproof 5050 SMD Strip - DM5050SH (5000mm/reel)										
	Red	DM5050SH5R	FPC+Resin	1500mcd*150	DC12V	36W	150	5000*10	>120°	IP67	Other available length: 1000mm; 2000mm; 3000mm; 4000mm; max 5000mm
	Yellow	DM5050SH5Y	FPC+Resin	1500mcd*150	DC12V	36W	150	5000*10	>120°	IP67	
	Blue	DM5050SH5B	FPC+Resin	1200mcd*150	DC12V	36W	150	5000*10	>120°	IP67	
	Green	DM5050SH5G	FPC+Resin	3500mcd*150	DC12V	36W	150	5000*10	>120°	IP67	
	White	DM5050SH5W	FPC+Resin	4500mcd*150	DC12V	36W	150	5000*10	>120°	IP67	
	Warm White	DM5050SH5WW	FPC+Resin	4000mcd*150	DC12V	36W	150	5000*10	>120°	IP67	
	Purple	DM5050SH5PU	FPC+Resin	200mcd*150	DC12V	36W	150	5000*10	>120°	IP67	
	Pink	DM5050SH5PI	FPC+Resin	2000mcd*150	DC12V	36W	150	5000*10	>120°	IP67	
RGB	DM5050SH5RGB	FPC+Resin	500/1200/ 450 *150	DC12	36W	150	5000*10	>120°	IP67		

Photo	Color	Item No	Material	Intensity	Volt.	Power	LED Qty	Size (L*W)	Emitting Angle	IP Deg	Remark
				mcd	V	Watt	pcs	mm			
Waterproof 335 SMD Strip - DM5050SJ (5000mm/reel)											
	Red	DM5050SJ5R	FPC+PVC	450mcd*300	DC12V	24W	300	5000*9	>120°	IP65	



Yellow	DM5050SJ5Y	FPC+PVC	450mcd*300	DC12V	24W	300	5000*9	>120°	IP65
Blue	DM5050SJ5B	FPC+PVC	400mcd*300	DC12V	24W	300	5000*9	>120°	IP65
Green	DM5050SJ5G	FPC+PVC	1300mcd*300	DC12V	24W	300	5000*9	>120°	IP65
White	DM5050SJ5W	FPC+PVC	1600mcd*300	DC12V	24W	300	5000*9	>120°	IP65
Warm White	DM5050SJ5WW	FPC+PVC	1500mcd*300	DC12V	24W	300	5000*9	>120°	IP65
Purple	DM5050SJ5PU	FPC+PVC	100mcd*300	DC12V	24W	300	5000*9	>120°	IP65
Pink	DM5050SJ5PI	FPC+PVC	500mcd*300	DC12V	24W	300	5000*9	>120°	IP65
RGB	DM5050SJ5RGB	FPC+PVC	450/1300/ 400 *100	DC12	24W	300	5000*9	>120°	IP65

Other available length: 1000mm; 2000mm; 3000mm; 4000mm; max 5000mm

Updated at: 2009-5-29