

DILU TECHNOLOGY (SHENZHEN) CO LTD

No.53th,Xinfeng Industry Area,Xintian Valley,Guanlan Town,Baoan District,Shenzhen 518110,China
Tel: 86 755 61100786 Fax: 86 755 61675804 Http://www.diluled.com Email: sales@diluled.com

MODEL COMPARISON-HIGH POWER LED UNDERWATER LIGHT

Photo	Lighting Color	Item No	Material	Size (Dia*H)	LED Qty	Volt.	Power	Viewing Angle	IP Deg	Remark	
				(mm)	(pcs)	(V)	(W)	(Deg)			
	3*1W High Power LED Underwater Light										
	White	DU1001W3-1	Stainless Steel	φ 92*H75	3pcs	DC12-24V	3W	25° - 60°	IP68	All products can be produced to as many as LEDs within its size limit	
	Warm White	DU1001WW3-1	Stainless Steel	φ 92*H75	3pcs	DC12-24V	3W	25° - 60°	IP68		
	Red	DU1001R3-1	Stainless Steel	φ 92*H75	3pcs	DC12-24V	3W	25° - 60°	IP68		
	Yellow	DU1001T3-1	Stainless Steel	φ 92*H75	3pcs	DC12-24V	3W	25° - 60°	IP68		
	Blue	DU1001B3-1	Stainless Steel	φ 92*H75	3pcs	DC12-24V	3W	25° - 60°	IP68		
	Green	DU1001G3-1	Stainless Steel	φ 92*H75	3pcs	DC12-24V	3W	25° - 60°	IP68		
	RGB	DU1001RGB3-1	Stainless Steel	φ 92*H75	3pcs	AC24V	3W	25° - 60°	IP68		
	3*3W High Power LED Underwater Light										
	White	DU1001W3-3	Stainless Steel	φ 92*H75	3pcs	DC12-24V	9W	25° - 60°	IP68		
	Warm White	DU1001WW3-3	Stainless Steel	φ 92*H75	3pcs	DC12-24V	9W	25° - 60°	IP68		
	Red	DU1001R3-3	Stainless Steel	φ 92*H75	3pcs	DC12-24V	9W	25° - 60°	IP68		
	Yellow	DU1001T3-3	Stainless Steel	φ 92*H75	3pcs	DC12-24V	9W	25° - 60°	IP68		
	Blue	DU1001B3-3	Stainless Steel	φ 92*H75	3pcs	DC12-24V	9W	25° - 60°	IP68		
Green	DU1001G3-3	Stainless Steel	φ 92*H75	3pcs	DC12-24V	9W	25° - 60°	IP68			
RGB	DU1001RGB3-3	Stainless Steel	φ 92*H75	3pcs	AC24V	9W	25° - 60°	IP68			


Photo	Lighting Color	Item No	Material	Size (Dia*H)	LED Qty	Volt.	Power	Viewing Angle	IP Deg	Remark
				(mm)	(pcs)	(V)	(W)	(Deg)		
	6*1W High Power LED Underwater Light									
	White	DU1012W6-1	Stainless Steel	φ 150*H150	6pcs	DC24V	6W	25° - 60°	IP68	All products can be produced to as many as LEDs within its size limit
	Warm White	DU1012WW6-1	Stainless Steel	φ 150*H150	6pcs	DC24V	6W	25° - 60°	IP68	
	Red	DU1012R6-1	Stainless Steel	φ 150*H150	6pcs	DC24V	6W	25° - 60°	IP68	
	Yellow	DU1012Y6-1	Stainless Steel	φ 150*H150	6pcs	DC24V	6W	25° - 60°	IP68	
	Blue	DU1012B6-1	Stainless Steel	φ 150*H150	6pcs	DC24V	6W	25° - 60°	IP68	
	Green	DU1012G6-1	Stainless Steel	φ 150*H150	6pcs	DC24V	6W	25° - 60°	IP68	
	RGB	DU1012RGB6-1	Stainless Steel	φ 150*H150	6pcs	AC24V	6W	25° - 60°	IP68	

Photo	Lighting Color	Item No	Material	Size (Dia*H)	LED Qty	Volt.	Power	Viewing Angle	IP Deg	Remark
				(mm)	(pcs)	(V)	(W)	(Deg)		
	6*1W High Power LED Underwater Light									
	White	DU1002W6-1	Stainless Steel	φ 146*H144	6pcs	DC24V	6W	25° - 60°	IP68	All products can be produced to as many as LEDs within its size limit
	Warm White	DU1002WW6-1	Stainless Steel	φ 146*H144	6pcs	DC24V	6W	25° - 60°	IP68	
	Red	DU1002R6-1	Stainless Steel	φ 146*H144	6pcs	DC24V	6W	25° - 60°	IP68	
	Yellow	DU1002Y6-1	Stainless Steel	φ 146*H144	6pcs	DC24V	6W	25° - 60°	IP68	
	Blue	DU1002B6-1	Stainless Steel	φ 146*H144	6pcs	DC24V	6W	25° - 60°	IP68	
	Green	DU1002G6-1	Stainless Steel	φ 146*H144	6pcs	DC24V	6W	25° - 60°	IP68	
	RGB	DU1002RGB6-1	Stainless Steel	φ 146*H144	6pcs	AC24V	6W	25° - 60°	IP68	

Photo	Lighting Color	Item No	Material	Size (Dia*H)	LED Qty	Volt.	Power	Viewing Angle	IP Deg	Remark
				(mm)	(pcs)	(V)	(W)	(Deg)		
	6*1W High Power LED Underwater Light									
	White	DU1003W6-1	Stainless Steel	φ 165*H90	6pcs	DC24V	6W	25° - 60°	IP68	All products can be produced to as many as LEDs within its size limit
	Warm White	DU1003WW6-1	Stainless Steel	φ 165*H90	6pcs	DC24V	6W	25° - 60°	IP68	
	Red	DU1003R6-1	Stainless Steel	φ 165*H90	6pcs	DC24V	6W	25° - 60°	IP68	
	Yellow	DU1003Y6-1	Stainless Steel	φ 165*H90	6pcs	DC24V	6W	25° - 60°	IP68	
	Blue	DU1003B6-1	Stainless Steel	φ 165*H90	6pcs	DC24V	6W	25° - 60°	IP68	
	Green	DU1003G6-1	Stainless Steel	φ 165*H90	6pcs	DC24V	6W	25° - 60°	IP68	
	RGB	DU1003RGB6-1	Stainless Steel	φ 165*H90	6pcs	AC24V	6W	25° - 60°	IP68	

Photo	Lighting Color	Item No	Material	Size (Dia*H)	LED Qty	Volt.	Power	Viewing Angle	IP Deg	Remark
				(mm)	(pcs)	(V)	(W)	(Deg)		
	7*1W High Power LED Underwater Light									
	White	DU1004W7-1	Stainless Steel	φ 160*H100	7pcs	DC24V	7W	25° - 60°	IP68	All products can be produced to as many as LEDs within its size limit
	Warm White	DU1004WW7-1	Stainless Steel	φ 160*H100	7pcs	DC24V	7W	25° - 60°	IP68	
	Red	DU1004R7-1	Stainless Steel	φ 160*H100	7pcs	DC24V	7W	25° - 60°	IP68	
	Yellow	DU1004Y7-1	Stainless Steel	φ 160*H100	7pcs	DC24V	7W	25° - 60°	IP68	
	Blue	DU1004B7-1	Stainless Steel	φ 160*H100	7pcs	DC24V	7W	25° - 60°	IP68	
	Green	DU1004G7-1	Stainless Steel	φ 160*H100	7pcs	DC24V	7W	25° - 60°	IP68	
	RGB	DU1004RGB7-1	Stainless Steel	φ 160*H100	7pcs	AC24V	7W	25° - 60°	IP68	

Photo	Lighting Color	Item No	Material	Size (Dia*H)	LED Qty	Volt.	Power	Viewing Angle	IP Deg	Remark
				(mm)	(pcs)	(V)	(W)	(Deg)		
	9*1W High Power LED Underwater Light									
	White	DU1003W9-1	Stainless Steel	φ 165*H90	9pcs	DC24V	9W	25° - 60°	IP68	All products can be produced to as many as LEDs within its size limit
	Warm White	DU1003WW9-1	Stainless Steel	φ 165*H90	9pcs	DC24V	9W	25° - 60°	IP68	
	Red	DU1003R9-1	Stainless Steel	φ 165*H90	9pcs	DC24V	9W	25° - 60°	IP68	
	Yellow	DU1003Y9-1	Stainless Steel	φ 165*H90	9pcs	DC24V	9W	25° - 60°	IP68	
	Blue	DU1003B9-1	Stainless Steel	φ 165*H90	9pcs	DC24V	9W	25° - 60°	IP68	
	Green	DU1003G9-1	Stainless Steel	φ 165*H90	9pcs	DC24V	9W	25° - 60°	IP68	
	RGB	DU1003RGB9-1	Stainless Steel	φ 165*H90	9pcs	AC24V	9W	25° - 60°	IP68	

Photo	Lighting Color	Item No	Material	Size (Dia*H)	LED Qty	Volt.	Power	Viewing Angle	IP Deg	Remark
				(mm)	(pcs)	(V)	(W)	(Deg)		
	9*1W High Power LED Underwater Light									
	White	DU1005W9-1	Stainless Steel	φ 180*H80	9pcs	DC24V	9W	25° - 60°	IP68	All products can be produced to as many as LEDs within its size limit
	Warm White	DU1005WW9-1	Stainless Steel	φ 180*H80	9pcs	DC24V	9W	25° - 60°	IP68	
	Red	DU1005R9-1	Stainless Steel	φ 180*H80	9pcs	DC24V	9W	25° - 60°	IP68	
	Yellow	DU1005Y9-1	Stainless Steel	φ 180*H80	9pcs	DC24V	9W	25° - 60°	IP68	
	Blue	DU1005B9-1	Stainless Steel	φ 180*H80	9pcs	DC24V	9W	25° - 60°	IP68	
	Green	DU1005G9-1	Stainless Steel	φ 180*H80	9pcs	DC24V	9W	25° - 60°	IP68	
	RGB	DU1005RGB9-1	Stainless Steel	φ 180*H80	9pcs	AC24V	9W	25° - 60°	IP68	

Photo	Lighting Color	Item No	Material	Size (Dia*H)	LED Qty	Volt.	Power	Viewing Angle	IP Deg	Remark
				(mm)	(pcs)	(V)	(W)	(Deg)		
	9*1W High Power LED Underwater Light									
	White	DU1006W9-1	Aluminum	φ 160*H190	9pcs	DC24V	9W	25° - 60°	IP68	All products can be produced to as many as LEDs within its size limit
	Warm White	DU1006WW9-1	Aluminum	φ 160*H190	9pcs	DC24V	9W	25° - 60°	IP68	
	Red	DU1006R9-1	Aluminum	φ 160*H190	9pcs	DC24V	9W	25° - 60°	IP68	
	Yellow	DU1006Y9-1	Aluminum	φ 160*H190	9pcs	DC24V	9W	25° - 60°	IP68	
	Blue	DU1006B9-1	Aluminum	φ 160*H190	9pcs	DC24V	9W	25° - 60°	IP68	
	Green	DU1006G9-1	Aluminum	φ 160*H190	9pcs	DC24V	9W	25° - 60°	IP68	
	RGB	DU1006RGB9-1	Aluminum	φ 160*H190	9pcs	AC24V	9W	25° - 60°	IP68	

Photo	Lighting Color	Item No	Material	Size (Dia*H)	LED Qty	Volt.	Power	Viewing Angle	IP Deg	Remark
-------	----------------	---------	----------	--------------	---------	-------	-------	---------------	--------	--------


Photo	Lighting Color	Item No	Material	Size (mm)	LED Qty (pcs)	Volt. (V)	Power (W)	Viewing Angle (Deg)	IP Deg	Remark
	12*1W High Power LED Underwater Light									
	White	DU1007W12-1	Stainless Steel	φ 180*H80	12pcs	DC24V	12W	25° - 60°	IP68	All products can be produced to as many as LEDs within its size limit
	Warm White	DU1007WW12-1	Stainless Steel	φ 180*H80	12pcs	DC24V	12W	25° - 60°	IP68	
	Red	DU1007R12-1	Stainless Steel	φ 180*H80	12pcs	DC24V	12W	25° - 60°	IP68	
	Yellow	DU1007Y12-1	Stainless Steel	φ 180*H80	12pcs	DC24V	12W	25° - 60°	IP68	
	Blue	DU1007B12-1	Stainless Steel	φ 180*H80	12pcs	DC24V	12W	25° - 60°	IP68	
	Green	DU1007G12-1	Stainless Steel	φ 180*H80	12pcs	DC24V	12W	25° - 60°	IP68	
	RGB	DU1007RGB12-1	Stainless Steel	φ 180*H80	12pcs	AC24V	12W	25° - 60°	IP68	

Photo	Lighting Color	Item No	Material	Size (Dia*H)	LED Qty	Volt.	Power	Viewing Angle	IP Deg	Remark
				(mm)	(pcs)	(V)	(W)	(Deg)		
	18*1W High Power LED Underwater Light									
	White	DU1007W18-1	Stainless Steel	φ 180*H80	18pcs	DC24V	18W	25° - 60°	IP68	All products can be produced to as many as LEDs within its size limit
	Warm White	DU1007WW18-1	Stainless Steel	φ 180*H80	18pcs	DC24V	18W	25° - 60°	IP68	
	Red	DU1007R18-1	Stainless Steel	φ 180*H80	18pcs	DC24V	18W	25° - 60°	IP68	
	Yellow	DU1007Y18-1	Stainless Steel	φ 180*H80	18pcs	DC24V	18W	25° - 60°	IP68	
	Blue	DU1007B18-1	Stainless Steel	φ 180*H80	18pcs	DC24V	18W	25° - 60°	IP68	
	Green	DU1007G18-1	Stainless Steel	φ 180*H80	18pcs	DC24V	18W	25° - 60°	IP68	
	RGB	DU1007RGB18-1	Stainless Steel	φ 180*H80	18pcs	AC24V	18W	25° - 60°	IP68	

Photo	Lighting Color	Item No	Material	Size (Dia*H)	LED Qty	Volt.	Power	Viewing Angle	IP Deg	Remark
				(mm)	(pcs)	(V)	(W)	(Deg)		
	9*1W High Power LED Fountain Light									
	White	DU1101W9-1	Stainless Steel	φ 160*H88	9pcs	DC24V	9W	25° - 60°	IP68	All products can be produced to as many as LEDs within its size limit
	Warm White	DU1101WW9-1	Stainless Steel	φ 160*H88	9pcs	DC24V	9W	25° - 60°	IP68	
	Red	DU1101R9-1	Stainless Steel	φ 160*H88	9pcs	DC24V	9W	25° - 60°	IP68	
	Yellow	DU1101Y9-1	Stainless Steel	φ 160*H88	9pcs	DC24V	9W	25° - 60°	IP68	
	Blue	DU1101B9-1	Stainless Steel	φ 160*H88	9pcs	DC24V	9W	25° - 60°	IP68	
	Green	DU1101G9-1	Stainless Steel	φ 160*H88	9pcs	DC24V	9W	25° - 60°	IP68	
	RGB	DU1101RGB9-1	Stainless Steel	φ 160*H88	9pcs	AC24V	9W	25° - 60°	IP68	

Photo	Lighting Color	Item No	Material	Size (Dia*H)	LED Qty	Volt.	Power	Viewing Angle	IP Deg	Remark
				(mm)	(pcs)	(V)	(W)	(Deg)		



12*1W High Power LED Fountain Light									All products can be produced to as many as LEDs within its size limit
White	DU1102W12-1	Stainless Steel	φ 180*H95	12pcs	DC24V	12W	25° - 60°	IP68	
Warm White	DU1102WW12-1	Stainless Steel	φ 180*H95	12pcs	DC24V	12W	25° - 60°	IP68	
Red	DU1102R12-1	Stainless Steel	φ 180*H95	12pcs	DC24V	12W	25° - 60°	IP68	
Yellow	DU1102Y12-1	Stainless Steel	φ 180*H95	12pcs	DC24V	12W	25° - 60°	IP68	
Blue	DU1102B12-1	Stainless Steel	φ 180*H95	12pcs	DC24V	12W	25° - 60°	IP68	
Green	DU1102G12-1	Stainless Steel	φ 180*H95	12pcs	DC24V	12W	25° - 60°	IP68	
RGB	DU1102RGB12-1	Stainless Steel	φ 180*H95	12pcs	AC24V	12W	25° - 60°	IP68	

Note: we do not contain all types in the list, for more information please contact us at sales@diluled.com . Our staff will reply you within 12 hrs.

Updated at: 2009-5-29